

TABLE ALPHABETIQUE (avec renvoi au numéro de la liste systématique)

A

abadima Ribbe, 1889, = <i>pseudegina</i>	(A.) 57
abana Hewitson, 1868 polytyp.	(Act.) 143
abbottii Holland, 1892, = <i>acerata</i>	(Act.) 60
abdera Hewitson, 1852, polyt.	(A.) 26
abrupta Grünberg, 1910, ab. de <i>alicia</i>	(Act.) 67
acara Hewitson, 1865	(A.) 76
acerata Hewitson, 1874	(Act.) 60
acharia Herrich-Schäffer, 1865, nom. nud.	
aciphia Hewitson, 1861, ssp. de <i>stratonice</i>	(Act.) 130
aconia Herrich-Schäffer, 1865, nom. nud.	
acontias Westwood, 1881, = <i>atolmis</i>	(A.) 30
acrita Hewitson, 1865	(A.) 17
acritoides Eltringham, 1911, f. de <i>periphanes</i>	(A.) 9
acronycta Westwood, 1881, = <i>stenobea</i>	(A.) 52
actiaca Hewitson, 1852, = <i>nohara</i>	(A.) 39
actinobolus Herrich-Schäffer, 1865, nom. nud.	
actinotina Neave, 1915	(Act.) 2
actinotis Neustetter, 1916, ab. de <i>esebria</i>	(Act.) 46
acton Herrich-Schäffer, 1865, = <i>thalia</i>	(Act.) 124
acuta Howarth, 1969	(Act.) 43
acutipennis Lathy, 1906, = <i>diogenes</i>	(A.) 33
acutipennis Schultze, 1923, = <i>orestia</i>	(Act.) 78
adana Herrich-Schäffer, 1865, nom. nud.	
adaurantica van Someren, 1936, f. de <i>ansorgei</i>	(Act.) 42
addenda Dufrane, 1945, ab. de <i>cepheus</i>	(A.) 29
admatha Hewitson, 1865	(A.) 88
adoxa (Jordan, 1910), ssp. de <i>stratonice</i>	(Act.) 130
adrasta Weymer, 1892	(A.) 116
adriana (Hopffer, 1874), ssp. de <i>pellenea</i>	(Act.) 117
aequalis Rothschild & Jordan, 1905, = <i>lycoa</i>	(Act.) 52
aereta (Jordan, 1913), ssp. de <i>stratonice</i>	(Act.) 130
aethilla Hopffer, 1874, = <i>testacea</i>	(Act.) 144
aethiops Rothschild & Jordan, 1905, ssp. de <i>jodutta</i>	(Act.) 45
aganice Hewitson, 1852, polyt.	(A.) 129
aglaonice Westwood, 1881	(A.) 42
akoafima Le Doux, 1928, f. ♀ de <i>serena</i>	(Act.) 55
alalia C. & R. Felder, 1860	(Act.) 94
alalonga (Henning & Henning, 1996), = <i>anacreon</i>	(Act.) 85
alba Berger, 1981, f. ♀ de <i>amicitiae</i>	(Act.) 15
alba Eltringham, 1913, f. ♀ de <i>egina</i>	(A.) 8
alba Howarth, 1969, f. de <i>acuta</i>	(Act.) 43
albanis Pierre, 1979, morphe de <i>endoscota</i>	(A.) 84
albata Le Doux, 1923, f. de <i>natalica</i>	(A.) 58

<i>alberici</i>	Dufrane, 1945, ab. de <i>alciope</i>	(Act.) 49
<i>alberici</i>	Dufrane, 1945, ab. de <i>sotikensis</i>	(Act.) 70
<i>alberta</i>	Eltringham, 1911, = <i>cinerea</i>	(Act.) 3
alberti	(Neild & Romero, 2008) polytyp.	(Act.) 95
<i>albescens</i>	Oberthür, 1916, f. ♀ de <i>strattipocles</i>	(Act.) 26
<i>albescens</i>	Overlaet, 1955, f. de <i>intermediodes</i>	(A.) 61
<i>albicans</i>	Stoneham, 1936, f. ♀ de <i>althoffi</i>	(Act.) 62
albicolor	(Karsch, 1895), ssp. de <i>consanguinea</i>	(A.) 132
<i>albicolor</i>	Stoneham, 1943, f. de <i>iturina</i>	(Act.) 30
<i>albida</i>	Aurivillius, 1913, ab. ♀ de <i>natalica</i>	(A.) 58
<i>albimaculata</i>	Neave, 1904, f. de <i>oreas</i>	(Act.) 23
<i>albimaculosa</i>	Hancock & Heath, 1988, = <i>johnstoni</i>	(Act.) 53
<i>albipicta</i>	Carpenter, 1936, f. de <i>kalinzu</i>	(Act.) 32
<i>albipuncta</i>	Ungemach, 1932, ab. de <i>safie</i>	(Act.) 11
<i>albireducta</i>	Stoneham, 1936, f. de <i>althoffi</i>	(Act.) 62
<i>albisubapex</i>	Stoneham, 1943, f. de <i>sotikensis</i>	(Act.) 70
<i>albiventris</i>	Le Doux, 1923, f. de <i>natalica</i>	(A.) 58
<i>albofasciata</i>	Aurivillius, 1913, ab. ♀ de <i>aglaonice</i>	(A.) 42
albofasciata	Hewitson, 1869, ssp. de <i>dicaeus</i>	(Act.) 132
<i>albofasciata</i>	Le Doux, 1937, = <i>macarista</i>	(A.) 138
<i>albofasciata</i>	Le Doux, 1937, = <i>poggei</i>	(A.) 121
<i>albofasciata</i>	Le Doux, 1937, f. ♀ de <i>leopoldina</i>	(A.) 122
<i>albofasciata</i>	Neustetter, 1916, ab. <i>tellus</i>	(A.) 114
<i>albomaculata</i>	Weymer, 1892, = <i>stenobea</i>	(A.) 52
<i>albomaculosa</i>	Le Doux, 1931, ab. ♀ de <i>acrita</i>	(A.) 17
<i>albomaculosa</i>	Le Doux, 1932, f. de <i>eltringhamiana</i>	(A.) 16
<i>albomaculosa</i>	Le Doux, 1932, f. de <i>utengulensis</i>	(A.) 15
<i>alboradiata</i>	Aurivillius, 1899, ab. de <i>welwitschii</i>	(A.) 72
<i>alboradiata</i>	Suffert, 1904, = <i>oncaeae</i>	(A.) 50
<i>albula</i>	Joicey & Talbot, 1922, f. ♀ de <i>asboloplinthia</i>	(A.) 56
<i>albunea</i>	Potts, 1944, = <i>areta</i>	(Act.) 130
alcinoe	Felder & Felder, 1865, polyt.	(A.) 126
alcione	(Hewitson, 1852) polytyp.	(Act.) 129
alciope	Hewitson, 1852	(Act.) 49
alcipoides	Joicey & Talbot, 1921	(Act.) 51
<i>alcippina</i>	Aurivillius, 1899, ab. de <i>encedana</i> , morph e	(Act.) 39
<i>alcippoides</i>	Le Doux, 1923, f. de <i>encedon</i>	(Act.) 38
<i>alicia</i>	(Grose-Smith, 1900), = <i>aurivillii</i>	(Act.) 50
alicia	Sharpe, 1890	(Act.) 67
<i>alicunde</i>	Potts, 1944, = <i>calimene</i>	(Act.) 131
<i>aliteria</i>	Hopffer, 1874, = <i>griseata</i>	(Act.) 139
alla	(Jordan, 1910), ssp. de <i>callianthe</i>	(Act.) 136
<i>alluaudi</i>	Le Cerf, 1927, ab. de <i>acerata</i>	(Act.) 60
althoffi	Dewitz, 1889	(Act.) 62
<i>alticola</i>	Fruhstorfer, 1906, = <i>issoria vestita</i>	(Act.) 12

<i>alticola</i> Schultze, 1923, = <i>ntebiae</i>	(Act.) 12
<i>alzaquita</i> Biezanko et al. 1962, ab. de <i>calymna</i>	(Act.) 117
ama Pierre, 1979, ssp. de <i>boopis</i>	(A.) 90
<i>ambigua</i> Trimen, 1891, f. de <i>acrita</i>	(A.) 17
<i>amela</i> (Hering, 1936), = <i>poggei</i>	(A.) 121
amicitiae Heron, 1909	(Act.) 15
amida (ewitson, 1854, ssp. de <i>dicaeus</i>	(Act.) 132
amoena (Jordan, 1913), ssp. de <i>callianthe</i>	(Act.) 136
<i>amphilecta</i> Jordan, 1913, = <i>scotosi</i>	(Act.) 135
<i>amphimalla</i> Westwood, 1881, = <i>caldarena</i>	(A.) 59
<i>amphiprotea</i> (Butler, 1874), f. de <i>esebria</i>	(Act.) 46
<i>amymone</i> C. Felder, 1862, nom. nud.	
anacreon Trimen, 1868, polyt.	(Act.) 85
<i>anacreontica</i> Grose-Smith, 1898, = <i>anacreon</i>	(Act.) 85
anaemia Eltringham, 1912, ssp. de <i>equatorialis</i>	(A.) 49
anaxo Hopffer, 1874, polytyp.	(Act.) 133
andromacha (Fabricius)	(A.) 108
<i>andromba</i> Grose-Smith, 1891, = <i>obeira</i>	(Act.) 79
anemosa Hewitson, 1865	(A.) 71
<i>angolanus</i> Lathy, 1906, = <i>oreas</i>	(Act.) 23
<i>angulata</i> (Suffert, 1904), = <i>angulata</i>	(A.) 138
<i>angustifasciata</i> (D'Abrrera, 1980), = <i>paragea</i>	(A.) 113
<i>angustifasciata</i> Grünberg, 1910, ab. de <i>paragea</i>	(A.) 113
<i>angustifasciata</i> Le Doux, 1922, f. de <i>asema</i>	(A.) 21
annobona D'Abrrera, 1980, ssp. de <i>zetes</i>	(A.) 75
annonae Pierre, 1987	(A.) 11
<i>anomala</i> (Kollar, 1848), = <i>issoria</i>	(Act.) 91
ansorgei Grose-Smith, 1898	(Act.) 42
<i>antakara</i> Oberthür, 1916, ab. de <i>silia</i>	(Act.) 28
anteas Doubleday, [1847], ssp. de <i>thalia</i>	(Act.) 124
<i>antinorii</i> Oberthür, 1880, = <i>safie</i>	(Act.) 11
<i>apecida</i> Oberthür, 1893, = <i>cabira</i>	(Act.) 73
<i>aquila</i> Thurau, 1903, ab. de <i>acrita</i>	(A.) 17
<i>aquilina</i> Strand, 1911, ab. de <i>acrita</i>	(A.) 17
<i>ara</i> Hewitson, 1877, = <i>neleus</i>	(Act.) 128
<i>arabica</i> Eltringham, 1912, = <i>doubledayi</i>	(A.) 64
<i>arabica</i> Rebel, 1907, f. de <i>neobule</i>	(A.) 102
<i>arcticincta</i> Butler, 1883, = <i>anemosa</i>	(A.) 71
<i>arctifascia</i> (Butler, 1874), = <i>esebria</i>	(Act.) 46
<i>areca</i> Mabille, 1888, f. de <i>egina</i>	(A.) 8
<i>arenaria</i> (Sharpe, 1902), = <i>albicolor</i>	(A.) 132
<i>argentea</i> Eltringham, 1912, f. ♀ de <i>penelope</i>	(Act.) 8
<i>artemisa</i> (Stoll, 1790), = <i>caecilia</i>	(A.) 55
asboloplinta Karsch, 1894	(A.) 56
<i>ascrepticia</i> Strand, 1912, ab. de <i>encedon</i>	(Act.) 38

asema	Hewitson, 1877	(A.) 21
<i>aspectasema</i>	Le Doux, 1922, f. de <i>violarum</i>	(A.) 22
<i>aspectasemoides</i>	Le Doux, 1922, f. de <i>asema</i>	(A.) 21
<i>assimiliora</i>	Le Doux, 1922, f. de <i>violarum</i>	(A.) 22
<i>assimilis</i>	Le Doux, 1922, f. de <i>violarum</i>	(A.) 22
astrigera	Butler, 1899, ssp. de <i>pseudolycia</i>	(A.) 73
atatis	Pierre, 2004	(A.) 48
atergatis	Westwood, 1881	(A.) 47
atolmis	Westwood, 1881	(A.) 30
<i>auasa</i>	Gabriel, 1949, f. ♀ de <i>pseudolycia</i>	(A.) 73
aubyni	Eltringham, 1912	(Act.) 5
auloeda	Oberthür, 1917, ssp. de <i>pellenea</i>	(Act.) 117
<i>aurantia</i>	Jordan, 1913, f. de <i>demonica</i>	(Act.) 135
<i>aurantia</i>	Weymer, 1890, var. de <i>dicaeus</i>	(Act.) 132
<i>aurantiaca</i>	Le Doux, 1931, f. de <i>encedon</i>	(Act.) 38
<i>aurata</i>	Bryk, 1931, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>aurata</i>	Le Doux, 1937, ab. ♀ de <i>epaea</i>	(A.) 112
<i>aureola</i>	Eltringham, 1911, = <i>onerata</i>	(A.) 32
<i>aurivilliana</i>	Bryk, 1925, f. de <i>ansorgei</i>	(Act.) 42
aurivillii	(Staudinger, 1896) , polyt.	(Act.) 50
<i>australis</i>	Howarth, 1969, f. de <i>acuta</i>	(Act.) 43
avuncula	(Oberthür, 1917), ssp. de <i>negra</i>	(Act.) 135
axina	Westwood, 1881	(A.) 45
azvaki	D'Abra, 1980, ssp. de <i>doubledayi</i>	(A.) 64
B		
bailunduensis	Wichgraf, 1918	(A.) 35
<i>bakossua</i>	Strand, 1912, ab. de <i>aurivillii</i>	(Act.) 50
<i>balbina</i>	Oberthür, 1888, = <i>insignis</i>	(A.) 97
balettae	(Neild & Romero, 2008) polytyp.	(Act.) 97
balina	Karsch, 1892, ssp. de <i>uvui</i>	(Act.) 65
bana	Pierre & Bernaud, 2012	(A.) 136
<i>banka</i>	Eltringham, 1912, = <i>bonasia</i>	(Act.) 67
<i>bankoides</i>	Carpenter, 1935, ab. de <i>bonasia</i>	(Act.) 58
<i>bantu</i>	Bryk, 1931, = <i>ansorgei</i>	(Act.) 42
barberi	Trimen, 1881	(A.) 77
<i>barberina</i>	v. Son, 1963, f. de <i>acara</i>	(A.) 76
<i>barnesi</i>	Stevenson, 1940, ab. ♀ de <i>kuekenthali</i>	(Act.) 14
<i>basilewskyi</i>	Berger, 1956, = <i>rangatana</i>	(Act.) 58
basilia	Lamas, 1995, ssp. de <i>hylonome</i>	(Act.) 146
<i>bassleri</i>	Potts, 1944, = <i>theophila</i>	(Act.) 129
<i>baumanni</i>	Rogenhofer, 1890, = <i>cepheus</i>	(A.) 29
baxteri	Sharpe, 1902, polyt.	(Act.) 16
<i>bayeri</i>	Schouteden, 1919, f. de <i>sotikensis</i>	(Act.) 70
beckeri	(Paluch et al. , 2006), ssp. de <i>morio</i>	(Act.) 114
<i>bella</i>	Weymer, 1901, f. de <i>acrita</i>	(A.) 16

bellehui	Carcasson, 1961, ssp. de <i>egina</i>	(A.) 8
bellona	Weymer, 1908	(A.) 18
<i>bellua</i>	Wallengren, 1857, = <i>natalica</i>	(A.) 58
<i>bendis</i>	(Hübner, 1816), = <i>caecilia</i>	(A.) 55
<i>beni</i>	Bethune-Baker, 1908, = <i>periphanes</i>	(A.) 9
<i>bergeri</i>	Pierre, 1976, = <i>cepheus bergeriana</i>	(A.) 29
bergeriana	Pierre, 1979, ssp. de <i>cepheus</i>	(A.) 29
bermudezi	(Neild & Romero, 2008), ssp. de <i>neleus</i>	(Act.) 128
<i>bernardii</i>	Berger, 1981, f. de <i>tellus</i>	(A.) 114
<i>bertha</i>	Vuillot, 1891, = <i>aganice</i>	(A.) 129
bettiana	Joicey & Talbot, 1921, ssp. de <i>rangatana</i>	(Act.) 58
<i>bicolorata</i>	(Le Doux, 1937), = <i>epaea</i>	(A.) 112
<i>bihensis</i>	Le Doux, 1923, f. de <i>periphanes</i>	(A.) 9
binghamae	(Dyar, 1913), ssp. de <i>eresia</i>	(Act.) 141
<i>bipunctata</i>	Dufrane, 1945, ab. de <i>lycoa</i>	(Act.) 52
<i>biraca</i>	Suffert, 1904, = <i>cabira</i>	(Act.) 73
<i>bitjana</i>	Bethune-Baker, 1926, f. de <i>althoffi</i>	(Act.) 62
<i>bitjana</i>	Carcasson, 1981, = <i>althoffi</i>	(Act.) 62
<i>blachieri</i>	Oberthür, 1916, var. de <i>fornax</i>	(Act.) 61
<i>bomba</i>	Grose-Smith, 1889, = <i>anacreon</i>	(Act.) 85
<i>bombensis</i>	Stoneham, 1937, = <i>aurivillii</i>	(Act.) 50
bonasia	Fabricius, 1775	(Act.) 67
bonita	(Penz, 1996)	(Act.) 96
bonyae	(Neild & Romero, 2008), ssp. de <i>balettae</i>	(Act.) 97
boopis	Wichgraf, 1914, polyt.	(A.) 90
borgesii	(Neild & Romero, 2008), ssp. de <i>callianthe</i>	(Act.) 136
<i>boseae</i>	Saalmüller, 1880, f. de <i>masamba</i>	(Act.) 27
braesia	Godman, 1885	(A.) 67
<i>braesioides</i>	Wichgraf, 1914, f. de <i>neobule</i>	(A.) 102
<i>brahmsi</i>	Suffert, 1904, = <i>acerata</i>	(Act.) 60
brainei	Henning, 1986	(A.) 101
<i>brasiliensis</i>	d'Almeida, 1922, = <i>pyrrha</i>	(Act.) 119
<i>braunei</i>	Staudinger, 1885, = <i>encedon</i>	(Act.) 38
<i>brauronia</i>	Oberthür, 1917, = <i>hyalina</i>	(Act.) 117
brettia	Oberthür, 1917, ssp. de <i>thalia</i>	(Act.) 124
<i>brevimacula</i>	(Talbot, 1928), = <i>poggei</i>	(A.) 121
<i>brownorum</i>	Potts, 1943, = <i>smiala</i>	(Act.) 140
<i>brunnea</i>	Eltringham, 1911, f. de <i>pseudolycia</i>	(A.) 73
<i>brunnea</i>	Overlaet, 1955, f. ♀ de <i>intermediodes</i>	(A.) 61
<i>brychia</i>	Oberthür, 1917, = <i>perfulva</i>	(Act.) 117
<i>bryki</i>	Le Doux, 1931, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>brylla</i>	Oberthür, 1917, = <i>pallescens</i>	(Act.) 115
<i>bubona</i>	Oberthür, 1917, = <i>pyrrha</i>	(Act.) 119
<i>budongoensis</i>	Carpenter, 1935, f. ♀ de <i>althoffi</i>	(Act.) 62
buettneri	Rogenhofer, 1890	(A.) 25

<i>bukoba</i>	Eltringham, 1911, = <i>lycoa</i>	(Act.) 52
<i>bukoba</i>	Weymer, 1903, = <i>ventura</i>	(Act.) 56
<i>bulis</i>	Jordan, 1910, = <i>euclia</i>	(Act.) 135
<i>burgeoni</i>	Schouteden, 1919, f. de <i>quirina</i>	(A.) 91
burgessi	Jackson, 1956	(Act.) 69
<i>burigensis</i>	Strand, 1914, ab. de <i>acerata</i>	(Act.) 60
burni	Butler, 1896	(Act.) 80
<i>buruensis</i>	Rothschild, 1899, = <i>moluccana</i>	(A.) 109
buschbecki	Dewitz, 1889	(Act.) 25
<i>butleri</i>	Aurivillius, 1899, ab. ♀ de <i>toruna</i>	(Act.) 54
<i>butleri</i>	Eltringham, 1899, = <i>toruna</i>	(Act.) 54
<i>buxtoni</i>	(Butler, 1875), = <i>serena</i>	(Act.) 55
<i>buxtoni</i>	Hewitson, 1877, = <i>insignis</i>	(A.) 97
<i>byatti</i>	Neave, 1904, = <i>goetzei</i>	(Act.) 75
byssa	Oberthür, 1917, ssp. de <i>thalia</i>	(Act.) 124
<i>byzas</i>	Oberthür, 1917, = <i>subbadia</i>	(Act.) 117
<i>byzia</i>	Hewitson, 1874, = <i>testacea</i>	(Act.) 144
C		
cabira	Hopffer, 1855	(Act.) 73
<i>cabiroides</i>	Poulton, 1908, f. ♀ de <i>bonasia</i>	(Act.) 67
caecilia	(Fabricius, 1781), polyt.	(A.) 55
<i>caffra</i>	Felder & Felder, 1865, = <i>acara</i>	(A.) 76
<i>calchaqui</i>	Hayward, 1931, f. de <i>calymna</i>	(Act.) 117
caldarena	Hewitson, 1877, polyt.	(A.) 59
calderoni	(Schaus, 1920), ssp. de <i>lapitha</i>	(Act.) 108
calida	Butler, 1878	(Act.) 88
calimene	(Rebel, 1902), ssp. de <i>ozomene</i>	(Act.) 131
callianira	(Geyer, 1837), ssp. de <i>dicaeus</i>	(Act.) 132
callianthe	(C. & R. Felder, 1862) polytyp.	(Act.) 136
<i>calyce</i>	Godman & Salvin, 1884, = <i>neobule</i>	(A.) 102
calymna	(Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
<i>calymnoides</i>	Hayward, 1935, f. de <i>calymna</i>	(Act.) 117
camaena	Drury, 1773	(A.) 105
<i>camaenopsis</i>	Le Doux, 1923, f. ♀ de <i>neobule</i>	(A.) 102
<i>camerunica</i>	Aurivillius, 1893, = <i>alcinoe</i>	(A.) 126
<i>camerunica</i>	Strand, 1914, f. de <i>lumiri</i>	(Act.) 66
<i>candida</i>	Eltringham, 1912, f. ♀ de <i>sykesi</i>	(A.) 65
canutia	(Hopffer, 1874)	(Act.) 127
<i>caoncius</i>	Suffert, 1904, = <i>oncaeaa</i>	(A.) 50
capnodes	(Jordan, 1913), ssp. de <i>abana</i>	(Act.) 143
<i>cappadox</i>	Oberthür, 1893, = <i>alicia</i>	(Act.) 67
<i>carabaia</i>	Jordan, 1910, = <i>erinome</i>	(Act.) 144
carbonaria	(Hopffer, 1874), ssp. de <i>ozomene</i>	(Act.) 131
<i>carbonaria</i>	Le Cerf, 1927, ab. de <i>encedon</i>	(Act.) 38
carica	(Weymer, 1890), ssp. de <i>dicaeus</i>	(Act.) 132

<i>carmen</i> Pyrcz, 1991, = <i>pharsalus</i>	(Act.) 35
<i>carmentis</i> Doubleday, 1850, = <i>jodutta</i>	(Act.) 45
<i>carmentis</i> Potts, 1944, = <i>mathani</i>	(Act.) 144
<i>carpenteri</i> Eltringham, 1913, f. de <i>orestia</i>	(Act.) 78
<i>carpenteri</i> Le Doux, 1937, f. de <i>umbra</i>	(A.) 127
carycina (Jordan, 1913)	(Act.) 98
<i>carycinoides</i> d'Almeida, 1935, var. de <i>carycina</i>	(Act.) 98
<i>castanea</i> Eltringham, 1912, f. ♀ de <i>jodutta</i>	(Act.) 45
<i>castanea</i> Schultze, 1923, f. de <i>peneleos</i>	(Act.) 20
catarina (Penz, 1996)	(Act.) 99
<i>catochaera</i> Jordan, 1910, = <i>euclia</i>	(Act.) 135
<i>catopasta</i> Jordan, 1910, = <i>cleasa</i>	(Act.) 131
<i>catori</i> Bethune-Baker, 1904, f. de <i>vesperalis</i>	(Act.) 83
<i>cauca</i> Jordan, 1913, f. de <i>limbata</i>	(Act.) 117
cedestis Jordan, 1913, ssp. de <i>thalia</i>	(Act.) 124
<i>cephea</i> (Cramer, 1780), = <i>terpsicore</i>	(A.) 107
<i>cepheana</i> Strand, 1914, ab. de <i>cepheus</i>	(A.) 29
cepheus (Linné, 1758) , polyt.	(A.) 29
cerasa Hewitson, 1861, polyt.	(A.) 1
cerita Sharpe, 1906, ssp. de <i>cerasa</i>	(A.) 1
<i>cervina</i> Oberthür, 1916, f. de <i>strattipocles</i>	(Act.) 26
chaeribula Oberthür, 1893	(A.) 12
<i>chaeribulula</i> Strand, 1911, ab. de <i>acrita</i>	(A.) 17
chambezi Neave, 1910	(A.) 38
<i>chanleri</i> (Holland, 1896), = <i>aganice</i>	(A.) 129
chea (Druce, 1903), ssp. de <i>trinacria</i>	(Act.) 137
chilo Godman, 1880	(A.) 79
choloui Pierre, 1979, ssp. de <i>boopis</i>	(A.) 90
<i>chrysippina</i> Howarth, 1969, f. ♀ de <i>acuta</i>	(Act.) 43
<i>chryssipoides</i> van Someren, 1936, f. de <i>ansorgei</i>	(Act.) 42
chyulu van Someren, 1939, ssp. de <i>anacreon</i>	(Act.) 85
cinerea Neave, 1904	(Act.) 3
circeis Drury, 1782	(Act.) 19
<i>clara</i> Jordan, 1913, f. de <i>calymna</i>	(Act.) 117
<i>clara</i> Stoneham, 1943, f. de <i>orestia</i>	(Act.) 78
<i>clara</i> Ungemach, 1932, ab. de <i>jodutta</i>	(Act.) 45
<i>clarei</i> Neave, 1904, = <i>pseudegina</i>	(A.) 57
cleasa Hewitson, 1868, ssp. de <i>ozomene</i>	(Act.) 131
<i>commixta</i> Poulton, 1913, f. de <i>encedon</i>	(Act.) 38
comor Pierre, 1992	(Act.) 47
comta (Jordan, 1910), ssp. de <i>anaxo</i>	(Act.) 133
<i>concolor</i> Oberthür, 1916, ab. de <i>silia</i>	(Act.) 28
<i>confluens</i> Jordan, 1913, f. de <i>dicaeus</i>	(Act.) 132
<i>confluens</i> Schouteden, 1919, = <i>o. laetopicta</i>	(Act.) 64
<i>confluens</i> Suffert, 1904, = <i>oberthueri</i>	(Act.) 64

<i>conformis</i> Schultze, 1923, f. ♀ de <i>epiprotea</i>	(A.) 125
<i>confusa</i> Rogenhofer, 1891, f. de <i>johnstoni</i>	(Act.) 53
<i>congoensis</i> (Le Doux, 1937), ssp. de <i>vestalis</i>	(A.) 140
<i>conjuncta</i> Blachier, 1912, ab. de <i>horta</i>	(A.) 100
<i>conjuncta</i> Grose-Smith, 1898, = <i>ansorgei</i>	(Act.) 42
<i>conjuncta</i> Niepelt, 1937, f. de <i>anemosa</i>	(A.) 71
<i>connexa</i> Thurau, 1903, ab. de <i>serena</i>	(Act.) 55
<i>conradti</i> Oberthür, 1893, polyt.	(Act.) 14
<i>consanguinea</i> Aurivillius, 1893, polyt. C	(A.) 132
<i>consanguinoides</i> Le Doux, 1931, = <i>persanguinea</i>	(A.) 124
<i>conspicua</i> (Jordan, 1913)	(Act.) 100
<i>conspicua</i> Le Doux, 1937, f. de <i>consanguinea</i>	(A.) 132
<i>contracta</i> Le Doux, 1923, f. ♀ de <i>buettneri</i>	(A.) 25
<i>contraria</i> Grünberg, 1910, ab. de <i>egina</i>	(A.) 8
<i>contraria</i> Strand, 1912, ab. de <i>serena</i>	(Act.) 55
<i>cooksoni</i> van Son, 1963, f. de <i>kuekenthali</i>	(Act.) 14
<i>corduba</i> Hewitson, 1874, = <i>alcione</i>	(Act.) 129
<i>corona</i> Staudinger, 1885, = <i>satis</i>	(A.) 70
<i>costae</i> (Neild, 2008), ssp. de <i>genitrix</i>	(Act.) 105
<i>cottrelli</i> Howarth, 1969, f. de <i>acuta</i>	(Act.) 43
<i>crassinia</i> (Hopffer, 1874), ssp. de <i>thalia</i>	(Act.) 124
<i>cremea</i> Le Doux, 1937, ab. ♀ de <i>epaea</i>	(A.) 112
<i>cretacea</i> Eltringham, 1912, f. de <i>alciope</i>	(Act.) 49
<i>crina</i> (Schaus, 1902), = <i>albofasciata</i>	(Act.) 132
<i>crippsi</i> Stoneham, 1943, f. de <i>rahira</i>	(Act.) 89
<i>crucis</i> (Jordan, 1913), ssp. de <i>pyrrha</i>	(Act.) 119
<i>cruentata</i> Gaede, 1916, ab. de <i>sotikensis</i>	(Act.) 70
<i>crystallina</i> Grose-Smith, 1890, = <i>chilo</i>	(A.) 79
<i>culoti</i> Oberthür, 1916, = <i>smiala</i>	(Act.) 140
<i>cuva</i> Grose-Smith, 1889	(A.) 96
<i>cyanea</i> Jordan, 1913, f. de <i>elatus</i>	(Act.) 129
<i>cyaniris</i> Le Cerf, 1927, ab. de <i>neobule</i>	(A.) 102
<i>cydonia</i> Ward, 1873, = <i>alciope</i>	(Act.) 49
<i>cynthia</i> (Herbst, 1788), = <i>bonasia</i>	(Act.) 67
<i>cynthia</i> Trimen, 1862, = <i>cabira</i>	(Act.) 73
<i>cynthius</i> Drury, 1782, = <i>bonasia</i>	(Act.) 67
D	
<i>daira</i> Godman & Salvin, 1884, = <i>encedon</i>	(Act.) 38
<i>dairalcippa</i> Le Doux, 1923, f. ♀ de <i>encedana</i>	(Act.) 39
<i>dairana</i> Pierre, 1976, morphe de <i>encedana</i>	(Act.) 39
<i>dalmeidai</i> (Francini, 1996)	(Act.) 101
<i>dammii</i> van Vollenhoven, 1869	(A.) 95
<i>debilis</i> Oberthür, 1916, ab. de <i>masamba</i>	(Act.) 27
<i>decepta</i> Le Doux, 1923, f. ♀ de <i>caldarena</i>	(A.) 59
<i>decora</i> Weymer, 1901, ab. de <i>atolmis</i>	(A.) 30

<i>defasciata</i>	Suffert, 1904, = <i>oncaea</i>	(A.) 50
<i>deficiens</i>	Dufrane, 1945, ab. de <i>cepheus</i>	(A.) 29
<i>dejana</i>	Godman & Salvin, 1890, = <i>parrhasia</i>	(Act.) 18
demonica	Hopffer, 1874, ssp. de <i>negra</i>	(Act.) 135
<i>depunctella</i>	Strand, 1911, ab. de <i>parrhasia</i>	(Act.) 18
<i>derbela</i>	Hewitson, 1877, = <i>orinata</i>	(Act.) 7
derubescens	Eltringham, 1912, ssp. de <i>penelope</i>	(Act.) 8
desmiala	(Jordan, 1913), ssp. de <i>hilaris</i>	(Act.) 140
<i>despecta</i>	Le Doux, 1922, f. de <i>asema</i>	(A.) 21
detecta	Neave, 1910, ssp. de <i>pudorella</i>	(A.) 46
<i>dewitzi</i>	Aurivillius, 1904, f. de <i>ntebiae</i>	(Act.) 12
<i>dewitzi</i>	Carcasson, 1981, = <i>ntebiae</i>	(Act.) 12
dewitzi	Staudinger, 1896	(A.) 118
<i>diaguita</i>	Hayward, 1931, f. de <i>diagnit</i>	(Act.) 117
diaguita	Hayward, 1931, ssp. de <i>pellenea</i>	(Act.) 117
<i>diavina</i>	Suffert, 1904, = <i>acerata</i>	(Act.) 60
dicaeus	Latreille, [1817] polytyp.	(Act.) 132
<i>dice</i>	(Drury, 1782), = <i>quirina</i>	(A.) 91
<i>dice</i>	Godart, 1819, = <i>dicaeus</i>	(Act.) 132
<i>didalis</i>	Stoneham, 1943, f. ♀ de <i>neobule</i>	(A.) 102
<i>differens</i>	d'Almeida, 1935, var. de <i>carycina</i>	(Act.) 98
<i>digitata</i>	Carpenter, 1935, f. de <i>parrhasia</i>	(Act.) 18
diogenes	Suffert, 1904	(A.) 33
<i>diraea</i>	Westwood, 1881, = <i>caldarena</i>	(A.) 59
<i>discoguttata</i>	Strand, 1909, ab. de <i>anemosa</i>	(A.) 71
<i>discolora</i>	d'Almeida, 1935, ab. de <i>pyrrha</i>	(Act.) 119
discrepans	(d'Almeida, 1958)	(Act.) 102
<i>discrepans</i>	d'Almeida, 1935, ab. de <i>discrepans</i>	(Act.) 102
<i>disjuncta</i>	Dufrane, 1945, ab. de <i>cepheus</i>	(A.) 29
disjuncta	Grose-Smith, 1898	(Act.) 44
<i>dispar</i>	Schouteden, 1919, ab. de <i>natalica</i>	(A.) 58
<i>dissimilis</i>	Le Doux, 1922, f. de <i>violarum</i>	(A.) 22
<i>dissimiloides</i>	Le Doux, 1922, f. de <i>asema</i>	(A.) 21
<i>dissociata</i>	Grose-Smith, 1898, = <i>asboloplitha</i>	(A.) 56
<i>distincta</i>	d'Almeida, 1922, = <i>parapheles</i>	(Act.) 116
<i>distincta</i>	Le Doux, 1923, f. de <i>oncaea</i>	(A.) 50
<i>distincta</i>	Le Doux, 1937, f. de <i>macarista</i>	(A.) 138
<i>diversa</i>	Jordan, 1913, = <i>areta</i>	(Act.) 130
<i>dognini</i>	Schaus, 1902, = <i>tenebrosa</i>	(Act.) 138
<i>dohertyi</i>	Holland, 1891, = <i>moluccana</i>	(A.) 109
dondoensis	Stevenson, 1934, ssp. de <i>nohara</i>	(A.) 39
<i>dorotheae</i>	Sharpe, 1902, = <i>jodutta</i>	(Act.) 45
doubledayi	Guérin-Méneville, 1849, polyt.	(A.) 64
<i>drucei</i>	Eltringham, 1912, f. ♀ de <i>althoffi</i>	(Act.) 62
<i>dubiosa</i>	Suffert, 1904, = <i>anemosa</i>	(A.) 71

ducarmei	Bernaud & Pierre, 2012	(A.) 139
duplicatus	Stoneham, 1943, f. de <i>pharsalus</i>	(Act.) 35
E		
eberti	(Francini, Freitas & Penz, 2004)	(Act.) 103
ecketti	Jackson, 1951, ssp. de <i>rangatana</i>	(Act.) 58
edea	Strand, 1914, f. de <i>alciope</i>	(Act.) 49
edulis	Weymer, 1890, = <i>neleus</i>	(Act.) 128
eginina	(Cramer, 1775) , polyt.	(A.) 8
eginopsis	Aurivillius, 1899, ssp. de <i>abdera</i>	(A.) 26
ehmckeii	Dewitz, 1889, = <i>rogersi</i>	(A.) 4
eichleri	van Son, 1963, f. de <i>atergatis</i>	(A.) 47
ela	Rumbucher, 1992, f. de <i>kivuensis elgonense</i>	(A.) 120
elatus	(Druce, 1903), ssp. de <i>alcione</i>	(Act.) 129
elena	Hall, 1921, = <i>mamita</i>	(Act.) 126
elgonense	Poulton, 1927, ssp. de <i>kivuensis</i>	(A.) 120
elgonensis	Howarth, 1969, f. de <i>ansorgei</i>	(Act.) 42
eliana	Strand, 1912, = <i>serena</i>	(Act.) 55
ella	Eltringham, 1911	(A.) 51
elongata	Butler, 1874	(A.) 123
eltringhami	Joicey & Talbot, 1921	(A.) 98
eltringhami	Schouteden, 1919, f. de <i>lycoa</i>	(Act.) 52
eltringhamiana	Le Doux, 1932	(A.) 16
emboensis	Gaede, 1915, ab. de <i>pudorina</i>	(A.) 19
emini	Weymer, 1903, = <i>pseudolycia</i>	(A.) 73
empusa	Butler, 1893, = <i>asema</i>	(A.) 21
encedana	Pierre, 1976	(Act.) 39
encedon	Linné, 1758, polyt.	(Act.) 38
encedonia	Linné, 1767, = <i>encedon</i>	(Act.) 38
encedonoides	Le Doux, 1931, = <i>encedon</i>	(Act.) 38
encoda	Pierre, 1981	(Act.) 41
endoscota	Le Doux, 1928	(A.) 84
entalis	(Jordan, 1910), = <i>poggei</i>	(A.) 121
entebbia	Eltringham, 1911, = <i>lycoa</i>	(Act.) 52
entoria	Godart, 1819, = <i>andromacha</i>	(A.) 108
epaea	(Cramer, 1779) , polyt.	(A.) 112
epidica	Oberthür, 1893, ssp. de <i>pentapolis</i>	(Act.) 82
epiphaea	(Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
epiprotea	Butler, 1874	(A.) 125
epitellus	Staudinger, 1896	(A.) 111
eponina	(Cramer, 1780), = <i>serena</i>	(Act.) 55
equatoria	(Bates, 1864), ssp. de <i>pellenea</i>	(Act.) 117
equatorialis	Neave, 1904, polyt.	(A.) 49
erebia	(Oberthür, 1917), ssp. de <i>tenebrosa</i>	(Act.) 138
eresia	C. & R. Felder, 1862, polytyp.	(Act.) 141
eresina	Hopffer, 1874, ssp. de <i>eresia</i>	(Act.) 141

erinome (C. & R. Felder, 1861) polytyp.	(Act.) 144
<i>eros</i> Le Doux, 1923, f. de <i>barberi</i>	(A.) 77
<i>ertli</i> Aurivillius, 1904, = <i>esebria</i>	(Act.) 46
esebria Hewitson, 1861	(Act.) 46
euclia Dognin, 1887, ssp. de <i>negra</i>	(Act.) 135
eugenia Karsch, 1893	(A.) 93
eulalia (Oberthür, 1917), ssp. de <i>dicaeus</i>	(Act.) 132
<i>eulogia</i> Oberthür, 1917, var. de <i>eulalia</i>	(Act.) 132
eumelis (Jordan, 1910), ssp. de <i>tellus</i>	(A.) 114
eupelia Jordan, 1913, ssp. de <i>thalia</i>	(Act.) 124
euris (Jordan, 1910), ssp. de <i>dicaeus</i>	(Act.) 132
euryleuca (Jordan, 1910)	(Act.) 147
<i>euterpe</i> C. Felder, 1862, =? <i>pyrrha</i>	(Act.) 119
<i>exalbescens</i> Eltringham, 1912, f. ♀ de <i>penelope</i>	(Act.) 8
excelsior Sharpe, 1891, polyt.	(Act.) 76
<i>excentrica</i> Thurau, 1903, ab. de <i>serena</i>	(Act.) 55
excisa (Butler, 1874)	(A.) 133
<i>exclamationis</i> Stoneham, 1943, f. ♀ de <i>sotikensis</i>	(Act.) 70
<i>extensa</i> Jordan, 1913, f. de <i>elatus</i>	(Act.) 129
F	
<i>fallax</i> Rogenhofer, 1891, = <i>lycoa</i>	(Act.) 52
<i>fasciata</i> Aurivillius, 1913, f. ♀ de <i>umbra</i>	(A.) 127
<i>fasciata</i> Jordan, 1913, ab. de <i>ozinta</i>	(Act.) 132
<i>fasciola</i> Le Doux, 1923, f. de <i>igola</i>	(Act.) 4
<i>felina</i> Trimen, 1891, = <i>buettneri</i>	(A.) 25
<i>fenelos</i> Aurivillius, 1893, = <i>peneleos</i>	(Act.) 20
<i>fenestrata</i> Trimen, 1881, = <i>aglaonice</i>	(A.) 42
fernandezi (Neild & Rom., 2008), ssp. de <i>pellenea</i>	(Act.) 117
<i>ferrugata</i> Jordan, 1913, f. de <i>hyalina</i>	(Act.) 117
<i>ferruginea</i> Le Doux, 1937, f. ♀ de <i>tellus</i>	(A.) 114
flaugeri (Neild & Romero, 2008), ssp. de <i>alcione</i>	(Act.) 129
<i>flava</i> Dewitz, 1879, = <i>jodutta</i>	(Act.) 45
<i>flava</i> Howarth, 1969, f. de <i>acuta</i>	(Act.) 43
<i>flava</i> Le Doux, 1931, = <i>consanguinea</i>	(A.) 132
<i>flava</i> Le Doux, 1937, = <i>poggei</i>	(A.) 121
<i>flaveola</i> van Someren, 1936, f. de <i>ansorgei</i>	(Act.) 42
<i>flavescens</i> Blachier, 1912, ab. de <i>conradti</i>	(Act.) 14
<i>flavescens</i> Oberthür, 1893, f. de <i>johnstoni</i>	(Act.) 53
<i>flaviapicalis</i> Overlaet, 1955, f. ♀ de <i>rhodesiana</i>	(A.) 62
<i>flavibasis</i> Jordan, 1913, = <i>ozinta</i>	(Act.) 132
<i>flavibrunnea</i> Stoneham, 1943, f. de <i>esebria</i>	(Act.) 46
<i>flavifascia</i> Jordan, 1913, f. de <i>perfulva</i>	(Act.) 117
<i>flavifasciata</i> Stoneham, 1937, f. de <i>aurivillii</i>	(Act.) 50
<i>flavina</i> Jackson, 1956, f. ♀ de <i>amicitiae</i>	(Act.) 15
<i>flavipuncta</i> van Someren, 1936, f. de <i>ansorgei</i>	(Act.) 42

<i>flavistrigata</i>	Le Cerf, 1927, f. ♀ de <i>bonasia</i>	(Act.) 67
<i>flavitincta</i>	Strand, 1916, ab. de <i>demonica</i>	(Act.) 135
<i>flavomaculata</i>	Lanz, 1896, = <i>cabira</i>	(Act.) 73
formosa	(Butler, 1874)	(A.) 117
formosana	(Fruhstorfer, 1914), ssp. de <i>issoria</i>	(Act.) 91
fornax	Butler, 1879	(Act.) 61
<i>fuelleborni</i>	Thurau, 1903, = <i>baxteri</i>	(Act.) 16
<i>fuliginosa</i>	d'Almeida, 1925, ab. de <i>pyrrha</i>	(Act.) 119
<i>fulva</i>	Doubleday, 1850, = <i>encedon</i>	(Act.) 38
<i>fulvescens</i>	Oberthür, 1893, f. de <i>johnstoni</i>	(Act.) 53
<i>fulvoides</i>	Le Doux, 1931, ab. de <i>encedon</i>	(Act.) 38
<i>fumida</i>	d'Almeida, 1925, var. de <i>parapheles</i>	(Act.) 116
<i>fumida</i>	Eltringham, 1912, f. de <i>alciope</i>	(Act.) 49
<i>fumida</i>	Mabille, 1880, f. de <i>zitja</i>	(Act.) 87
<i>fumigata</i>	Honradt, 1886, = <i>moluccana</i>	(A.) 109
<i>fumosa</i>	Aurivillius, 1913, ab. de <i>encedon</i>	(Act.) 38
furtadoi	(Paluch, Casagrande & Mielke, 2006)	(Act.) 104
<i>fusca</i>	Le Doux, 1932, ab. ♀ de <i>acrita</i>	(A.) 17
<i>fuscata</i>	d'Almeida, 1935, var. de <i>rhodope</i>	(Act.) 120
G		
gabrielae	(Rebel, 1902), ssp. de <i>ozomene</i>	(Act.) 131
<i>gabrieli</i>	Howarth, 1969, f. de <i>ansorgei</i>	(Act.) 42
<i>gaekwari</i>	Sharpe, 1901, = <i>doubledayi</i>	(A.) 64
<i>gea</i>	(Fabricius, 1781), = <i>epaea</i>	(A.) 112
<i>gea</i>	Möschler, 1887, = <i>jodutta</i>	(Act.) 45
gelonica	Rothschild & Jordan, 1905, ssp. de <i>peneleos</i>	(Act.) 20
genitrix	(d'Almeida, 1922) polytyp.	(Act.) 105
giffordi	Paluch <i>et al.</i> 2006, ssp. de <i>pellenea</i>	(Act.) 117
<i>godmani</i>	(Butler, 1895), = <i>alcinoe</i>	(A.) 126
goetzei	Thurau, 1903	(Act.) 75
<i>gorongozae</i>	van Son, 1963, = <i>insignis</i>	(A.) 97
gracilis	Wichgraf, 1909, ssp. de <i>violarum</i>	(A.) 22
<i>grammica</i>	Jordan, 1913, = <i>adrina</i>	(Act.) 117
<i>granadina</i>	Rebel, 1902, var. de <i>ozinta</i>	(Act.) 132
<i>grisea</i>	Neustetter, 1916, ab. ♀ <i>petraea</i>	(A.) 27
griseata	(Butler, 1873)	(Act.) 139
grosvenori	Eltringham, 1912	(Act.) 22
guatemalena	Bates, 1864	(Act.) 106
guichardi	Gabriel, 1949	(Act.) 90
guillemei	Oberthür, 1893	(A.) 34
guluensis	Le Doux, 1932	(A.) 20
<i>guttata</i>	Wichgraf, 1914, f. de <i>neobule</i>	(A.) 102
<i>gyldenstolpei</i>	Aurivillius, 1925, ab. ♀ de <i>leucographa</i>	(A.) 86
H		
<i>hades</i>	Joicey & Talbot, 1926, ab. de <i>rangatana</i>	(Act.) 58

<i>haemera</i> Jordan, 1913, ab. de <i>neleus</i>	(Act.) 128
<i>hahneli</i> (Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
<i>halali</i> Marshall, 1896, ssp. de <i>nohara</i>	(A.) 39
<i>hamata</i> Joicey & Talbot, 1922	(A.) 99
<i>handmani</i> Howarth, 1969, f. ♀ de <i>acuta</i>	(Act.) 43
<i>hansmeyeri</i> Strand, 1914, ab. de <i>sotikensis</i>	(Act.) 70
<i>harrisoni</i> Sharpe, 1904, f. de <i>egina</i>	(A.) 8
<i>haydnii</i> (Suffert, 1904), = <i>adrasta</i>	(A.) 116
<i>hecqui</i> Berger, 1981, ? de <i>rangatana</i>	(Act.) 58.5
<i>helichta</i> Neustetter, 1916, ab. de <i>tellus</i>	(A.) 114
<i>heliconioides</i> Stoneham, 1936, = <i>acerata</i>	(Act.) 62
<i>helvimaculata</i> Eltringham, 1912, f. ♀ de <i>peneleos</i>	(Act.) 20
<i>hemileuca</i> Jordan, 1914, ssp. de <i>macaria</i>	(A.) 128
<i>heringi</i> Le Doux, 1923, f. de <i>pudorella</i>	(A.) 46
<i>hermosa</i> Potts, 1944, = <i>alcione</i>	(Act.) 129
<i>hewitsoni</i> (Aurivillius, 1899), = <i>umbra</i>	(A.) 127
<i>hilaris</i> (Jordan, 1910) polytyp.	(Act.) 140
<i>hippea</i> d'Almeida, 1925, var. de <i>parapheles</i>	(Act.) 116
<i>hoehneli</i> Holland, 1896, = <i>braesia</i>	(A.) 66
<i>hoffmanni</i> d'Almeida, 1935, var. de <i>carycina</i>	(Act.) 98
<i>holochrea</i> Jordan, 1913, f. de <i>anteas</i>	(Act.) 124
<i>homochroa</i> (Rothschild & Jordan, 1905), ssp. de <i>epaea</i>	(A.) 112
<i>horta</i> (Linné, 1764)	(A.) 100
<i>hoursti</i> Le Cerf, 1927, = <i>acerata</i>	(Act.) 60
<i>hova</i> Boisduval, 1833	(A.) 83
<i>humilis</i> Grose-Smith & Kirby, 1901, = <i>orestia</i>	(Act.) 78
<i>humilis</i> Sharpe, 1897	(Act.) 34
<i>hyalina</i> (Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
<i>hylonome</i> (Doubleday, 1844) polytyp.	(Act.) 146
<i>hypatia</i> (Drury, 1782), = <i>caecilia</i>	(A.) 55
<i>hypoleuca</i> Trimen, 1898	(A.) 80
<i>hypsipetes</i> Jordan, 1910, = <i>euclia</i>	(Act.) 135
I	
<i>idiographa</i> Jordan, 1913, ab. de <i>thalia</i>	(Act.) 124
<i>igati</i> Boisduval, 1833	(A.) 94
<i>igola</i> Trimen, 1889	(Act.) 4
<i>iguaquensis</i> Andrade & Restrepo, 1992, = <i>trinacria</i>	(Act.) 137
<i>illimis</i> Hayward, 1935, f. de <i>diagnita</i>	(Act.) 117
<i>illuminata</i> van Son, 1963, f. ♀ de <i>axina</i>	(A.) 45
<i>implicata</i> Schultze, 1923, ab. de <i>bonasia</i>	(Act.) 67
<i>improvisus</i> Murayama, 1959, ab. de <i>issoria</i>	(Act.) 91
<i>inaequalis</i> Le Doux, 1931, = <i>consanguinea</i>	(A.) 132
<i>inaureata</i> Eltringham, 1912, f. de <i>esebria</i>	(Act.) 46
<i>incarum</i> Oberthür, 1917, = <i>alcione</i>	(Act.) 129
<i>incredibilis</i> Le Doux, 1922, ab. de <i>neobule</i>	(A.) 102

<i>indentata</i> (Butler, 1895)	(A.) 134
<i>indica</i> Robert, 1885, f. de <i>andromacha</i>	(A.) 108
<i>induna</i> Trimen, 1895, = <i>anacreon</i>	(Act.) 85
<i>inexpectata</i> Le Doux, 1931, f. de <i>pseudegina</i>	(A.) 57
<i>infernalis</i> Ungemach, 1932, ab. de <i>kakana</i>	(Act.) 31
<i>infuscata</i> Staudinger, 1885, ab. de <i>encedon</i>	(Act.) 38
<i>infuscatoides</i> Le Doux, 1931, ab. de <i>encedon</i>	(Act.) 38
<i>insignis</i> Distant, 1880	(A.) 97
<i>insolita</i> Le Doux, 1937, ab. ♀ de <i>epaea</i>	(A.) 112
<i>insulana</i> Ackery, 1995, ssp. de <i>epaea</i>	(A.) 112
<i>insularis</i> Aurivillius, 1910, = <i>epaea insulana</i>	(A.) 112
<i>insularis</i> Oberthür, 1917, var. de <i>trinitatis</i>	(Act.) 117
<i>insularis</i> Sharpe, 1893	(Act.) 37
<i>integra</i> Schultze, 1923, f. de <i>jodutta</i>	(Act.) 45
<i>intensa</i> (Jordan, 1910), ssp. de <i>radiata</i>	(Act.) 145
<i>intensa</i> Stoneham, 1937, = <i>egina</i>	(A.) 8
<i>interjecta</i> Eltringham, 1912, f. ♀ de <i>jodutta</i>	(Act.) 45
<i>intermedia</i> (Aurivillius, 1898), = <i>consanguinea</i>	(A.) 132
<i>intermedia</i> Berger, 1981, f. ♀ de <i>amicitiae</i>	(Act.) 15
<i>intermedia</i> Jordan, 1913, f. de <i>demonica</i>	(Act.) 135
<i>intermedia</i> Wichgraf, 1909, = <i>intermediodes</i>	(A.) 61
<i>intermedia</i> Strand, 1911, = <i>serena</i>	(Act.) 55
<i>intermediodes</i> Ackery, 1995	(A.) 61
<i>intermissa</i> (Gaede, 1916), = <i>poggei</i>	(A.) 121
<i>interposita</i> Wichgraf, 1918, = <i>periphanes</i>	(A.) 9
<i>interrupta</i> Eltringham, 1912, f. de <i>ansorgei</i>	(Act.) 42
<i>interrupta</i> Thurau, 1903, ab. de <i>anemosa</i>	(A.) 71
<i>interruptana</i> Strand, 1914, ab. de <i>bonasia</i>	(Act.) 67
<i>interruptella</i> Strand, 1909, ab. de <i>uvui</i>	(Act.) 65
<i>isabellina</i> Stoneham, 1943, f. ♀ de <i>neobule</i>	(A.) 102
<i>issoria</i> (Hübner, 1916), polyt.	(Act.) 91
<i>itumbana</i> (Jordan, 1910), = <i>quadricolor</i>	(A.) 131
<i>iturina</i> Grose-Smith, 1890	(Act.) 30
<i>iturinoides</i> Stoneham, 1936, = <i>iturina</i>	(Act.) 30
<i>ixilion</i> (Linné, 1758), = <i>thalia</i>	(Act.) 124
J	
<i>jacksoni</i> (Sharpe, 1890), = <i>esebria</i>	(Act.) 46
<i>jacksoni</i> Howarth, 1969, f. de <i>ansorgei</i>	(Act.) 42
<i>jacksonianus</i> van Someren, 1936, f. ♀ de <i>schubotzi</i>	(A.) 115
<i>jalema</i> Godart, 1819, = <i>zetes</i>	(A.) 75
<i>janisca</i> Godart, 1819, = <i>serena</i>	(Act.) 55
<i>janiscella</i> Strand, 1913, ab. de <i>serena</i>	(Act.) 55
<i>janssensi</i> Overlaet, 1955, = <i>mansya</i>	(A.) 31
<i>jefferyi</i> Bryk, 1925, f. de <i>ansorgei</i>	(Act.) 42
<i>jodina</i> Pierre, 1992, ssp. de <i>masaris</i>	(Act.) 48

jodutta	Fabricius, 1793, polyt.	(Act.) 45
<i>joduttana</i>	Strand, 1914, f. de <i>jodutta</i>	(Act.) 45
johnstoni	Godman, 1885	(Act.) 53
jolyi	Pierre, 2009, ssp. de <i>leucographa</i>	(A.) 86
<i>jordani</i>	d'Almeida, 1922, = <i>pyrrha</i>	(Act.) 119
<i>jordani</i>	Le Doux, 1928, = <i>serena</i>	(Act.) 55
<i>josetta</i>	Jackson, 1951, ab. ♀ de <i>penelope</i>	(Act.) 8
jucunda	(Jordan, 1910), ssp. de <i>dicaeus</i>	(Act.) 132
<i>junodi</i>	D'Abrera, 1980, = <i>nohara</i>	(A.) 39
<i>junodi</i>	Oberthür, 1911, ab. de <i>nohara</i>	(A.) 39
K		
kaduna	Pierre, 1993	(Act.) 84
kaffana	Rothschild, 1902, ssp. de <i>perenna</i>	(Act.) 1
kakana	Eltringham, 1911	(Act.) 31
kalinzu	Carpenter, 1936	(Act.) 32
<i>kanonga</i>	Overlaet, 1955, f. de <i>lualabae</i>	(A.) 10
<i>kapiriensis</i>	Schouteden, 1927, f. <i>annonae</i>	(A.) 11
kappa	Pierre, 1979	(A.) 89
karschi	Aurivillius, 1899, ssp. de <i>sotikensis</i>	(Act.) 70
<i>katana</i>	Eltringham, 1912, f. de <i>sotikensis</i>	(Act.) 70
<i>katerensis</i>	Stoneham, 1943, = <i>sotikensis</i>	(Act.) 70
<i>kenia</i>	Eltringham, 1911, = <i>lycoa</i>	(Act.) 52
kennethi	(Freitas, Willmott & Hall, 2009)	(Act.) 107
<i>kenya</i>	van Someren, 1926, = <i>parrhasia</i>	(Act.) 18
<i>khara</i>	Grose-Smith, 1889, = <i>egina</i>	(A.) 8
kia	Pierre, 1990	(A.) 92
<i>kibi</i>	Usher, 1986, = <i>kraka</i>	(A.) 3
<i>kibwezia</i>	Strand, 1914, f. de <i>esebria</i>	(Act.) 46
<i>kibwezina</i>	Le Doux, 1928, f. ♀ de <i>neobule</i>	(A.) 102
<i>kiellandi</i>	Carcasson, 1964, = <i>cerasa</i>	(A.) 1
<i>kiellandi</i>	Collins, 1990, = <i>scalivittata</i>	(A.) 130
<i>kiellandianus</i>	Koçak, 1996, = <i>scalivittata</i>	(A.) 130
<i>kigezia</i>	Howarth, 1959, = <i>cerasa</i>	(A.) 1
<i>kigeziensis</i>	Jackson, 1956, = <i>disjuncta</i>	(Act.) 44
<i>kigoma</i>	Kielland, 1978, = <i>ntebiae</i>	(Act.) 12
<i>kilimandjara</i>	Oberthür, 1893, = <i>lycoa</i>	(Act.) 52
<i>kindua</i>	Ackery, 1995, = <i>lycoa</i>	(Act.) 52
kinduana	Pierre, 1979	(A.) 87
<i>kinduana</i>	Schouteden, 1919, ab. de <i>kinduana</i>	(A.) 87
<i>kisaba</i>	Carcasson & Ackery, 1981, = <i>eltringhami</i>	(A.) 98
<i>kissejensis</i>	Joicey & Talbot, 1921, ab. de <i>rangatana</i>	(Act.) 58
kivuana	(Jordan, 1910), ssp. de <i>paragea</i>	(A.) 113
kivuensis	(Joicey & Talbot, 1926), polyt.	(A.) 120
<i>kiwuensis</i>	Grünberg, 1910, ab. <i>egina</i>	(A.) 8
<i>kohambullensis</i>	Le Doux, 1923, f. ♀ de <i>caldarena</i>	(A.) 59

kraka	Aurivillius, 1893	(A.) 3
<i>kuekenthali</i>	Le Doux, 1922, ssp. de <i>conradti</i>	(Act.) 14
<i>kulal</i>	van Someren, 1936, = <i>caecilia</i>	(A.) 55
<i>kuntzeni</i>	Le Doux, 1923, f. de <i>oberthueri</i>	(Act.) 64
L		
<i>lacaena</i>	Fabricius, 1793, = <i>pyrrha</i>	(Act.) 119
lacrymosa	(Oberthür, 1917), ssp. de <i>eresia</i>	(Act.) 141
<i>lactea</i>	Neave, 1910, = <i>diogenes</i>	(A.) 33
<i>lacteata</i>	Le Cerf, 1927, f. de <i>turna</i>	(A.) 74
<i>lactimaculata</i>	Eltringham, 1912, f. ♀ de <i>peneleos</i>	(Act.) 20
<i>laeta</i>	Oberthür, 1917, = <i>areta</i>	(Act.) 130
<i>laeticolor</i>	Le Doux, 1928, f. ♀ de <i>penelope</i>	(Act.) 8
laetopicta	Rebel, 1914, ssp. de <i>oberthueri</i>	(Act.) 64
<i>lamborni</i>	Eltringham, 1912, = <i>rogersi</i>	(A.) 4
<i>lankesteri</i>	Carpenter, 1941, = <i>rogersi</i>	(A.) 4
lapidorum	Pierre, 1988	(A.) 36
lapitha	Staudinger, 1885, polytyp.	(Act.) 108
<i>latefasciata</i>	(Suffert, 1904), = <i>macarista</i>	(A.) 138
<i>latiapicalis</i>	Joicey & Talbot, 1921, = <i>intermediodes</i>	(A.) 61
<i>latifasciata</i>	(Sharpe, 1891), = <i>quadricolor</i>	(A.) 131
<i>latifasciata</i>	Grünberg, 1910, ab. de <i>aurivillii</i>	(Act.) 50
<i>latifasciata</i>	Le Doux, 1928, f. ♀ de <i>serena</i>	(Act.) 55
<i>latimarginata</i>	van Son, 1963, f. de <i>aglaonice</i>	(A.) 42
latior	(Jordan, 1913)	(Act.) 109
laverna	(Doubleday, [1847]), ssp. de <i>dicaeus</i>	(Act.) 132
<i>lavonica</i>	Martin, [1923] ssp. de <i>pellenea</i> , nom. nud.	
<i>legrandi</i>	Carcasson, 1964, = <i>neobule</i>	(A.) 102
<i>leitus</i>	Martin, [1923] ssp. de <i>guatemalena</i> (nom. nud.)	
<i>leona</i>	Staudinger, 1896, = <i>circeis</i>	(Act.) 19
<i>leonina</i>	Bethune-Baker, 1903, = <i>circeis</i>	(Act.) 19
<i>leontine</i>	Weymer, 1890, = <i>euclia</i>	(Act.) 135
leopoldina	Aurivillius, 1895	(A.) 122
<i>leptis</i>	(Jordan, 1910), = <i>quadricolor</i>	(A.) 131
leptogramma	(Jordan, 1913), ssp. de <i>eresia</i>	(Act.) 141
lequeuxi	Bernaud & Pierre, 2012	(A.) 137
<i>leucaspis</i>	Wichgraf, 1914, f. ♀ <i>aglaonice</i>	(A.) 42
<i>leucofasciata</i>	Stoneham, 1943, f. ♀ de <i>braesia</i>	(A.) 67
leucographa	Ribbe, 1889, polyt.	(A.) 86
<i>leucomelas</i>	Bates, 1864, = <i>nox</i>	(Act.) 131
leucopyga	Aurivillius, 1904	(A.) 60
<i>leucosoma</i>	Staudinger, 1885, = <i>braesia</i>	(A.) 67
<i>leucothoe</i>	Potts, 1944, = <i>alcione</i>	(Act.) 129
lia	Mabille, 1879	(Act.) 77
<i>liacea</i>	Suffert, 1904, = <i>oncaeaa</i>	(A.) 50
<i>liberia</i>	Butler, 1870 n. <i>nudum</i> <i>serena</i>	(Act.) 55

limbata (Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
<i>limonata</i> Eltringham, 1912, = <i>parrhasia</i>	(Act.) 18
<i>lindica</i> Strand, 1911, ab. de <i>acrita</i>	(A.) 17
<i>lineata</i> Aurivillius, 1925, = <i>pelopeia</i>	(Act.) 21
<i>liszti</i> Suffert, 1904, = <i>leucopyga</i>	(A.) 60
<i>littoralis</i> Eltringham, 1912, = <i>acrita</i>	(A.) 17
<i>lobemba</i> Eltringham, 1912, = <i>anemosa</i>	(A.) 71
lodis (Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
lofua Eltringham, 1911	(A.) 37
<i>lolia</i> Oberthür, 1917, = <i>lodis</i>	(Act.) 117
<i>lomana</i> Strand, 1914, f. de <i>alciope</i>	(Act.) 49
loranae Pierre, 1987	(A.) 13
<i>lorida</i> Oberthür, 1917, = <i>carycina</i>	(Act.) 98
<i>loveni</i> Bryk, 1925, f. de <i>ansorgei</i>	(Act.) 42
lualabae Neave, 1910	(A.) 10
<i>lucida</i> Talbot, 1932, f. de <i>braesia</i>	(A.) 67
luisi (Neild & Romero, 2008), ssp. de <i>dicaeus</i>	(Act.) 132
<i>lulesa</i> Hayward, 1935, f. de <i>diagnita</i>	(Act.) 117
<i>luluae</i> Berger, 1981, = <i>cinerea</i>	(Act.) 3
lumiri Bethune-Baker, 1908	(Act.) 66
<i>lusinga</i> Overlaet, 1955, = <i>anacreon</i>	(Act.) 85
<i>lustella</i> (Suffert, 1904), = <i>tellus</i>	(A.) 114
<i>lutea</i> Berger, 1981, f. de <i>amicitiae</i>	(Act.) 15
<i>lutea</i> Carpenter & Jackson, 1950, f. ♀ de <i>baxteri</i>	(Act.) 16
<i>lutea</i> Riley, 1921, = <i>anemosa</i>	(A.) 71
<i>lutealba</i> Eltringham, 1912, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>luteflava</i> van Someren, 1936, f. de <i>ansorgei</i>	(Act.) 42
<i>lutosa</i> Suffert, 1904, = <i>epaea</i>	(A.) 112
<i>luxii</i> Rogenhofer, 1890, = <i>atolmis</i>	(A.) 30
lyci Pierre, 2006	(A.) 54
<i>lycia</i> Fabricius, 1775, = <i>encedon</i>	(Act.) 38
<i>lycioides</i> Carpenter, 1931, f. ♀ de <i>althoffi</i>	(Act.) 62
lycoa Godart, 1819	(Act.) 52
<i>lycoides</i> Boisduval, 1836, = <i>parrhasia</i>	(Act.) 18
<i>lycoides</i> Le Doux, 1931, f. de <i>encedon</i>	(Act.) 38
lygus Druce, 1875	(A.) 53
<i>lynsa</i> d'Almeida, 1923, f. de <i>rhodope</i>	(Act.) 120
M	
macaria Fabricius, 1793, polyt.	(A.) 128
<i>macarina</i> (Butler, 1868), = <i>alciope</i>	(Act.) 49
macarioides Aurivillius, 1893, ssp. de <i>umbra</i>	(A.) 127
macarista (Sharpe, 1906)	(A.) 138
machequena Grose-Smith, 1887	(A.) 81
<i>machoni</i> Oberthür, 1893, = <i>adrasta</i>	(A.) 116
<i>macra</i> Storace, 1949, f. de <i>neobule</i>	(A.) 102

<i>macropunctata</i>	Le Doux, 1931, f. de <i>encedana</i>	(Act.) 39
<i>macrosticha</i>	(Bethune-Baker, 1908), = <i>poggei</i>	(A.) 121
<i>macrosticta</i>	Storace, 1949, = <i>anemosa</i>	(A.) 71
<i>maculiventris</i>	Grose-Smith & Kirby, 1894, = <i>igola</i>	(Act.) 4
<i>maculosa</i>	Le Doux, 1928, f. de <i>conradti</i>	(Act.) 14
<i>magnifica</i>	Carpenter & Jackson, 1950, = <i>chilo</i>	(A.) 79
<i>magnifica</i>	d'Almeida, 1922, ab. de <i>pyrrha</i>	(Act.) 119
<i>mahale</i>	(Kielland, 1990), = <i>quadricolor</i>	(A.) 131
mahele	Boisduval, 1833	(A.) 103
<i>maindroni</i>	Le Cerf, 1927, f. de <i>terpsicore</i>	(A.) 107
<i>mairessei</i>	Aurivillius, 1904, = <i>ntebiae</i>	(Act.) 12
maji	Carpenter, 1935, ssp. de <i>rangatana</i>	(Act.) 58
<i>makupa</i>	Grose-Smith, 1889, = <i>zonata</i>	(A.) 68
mamita	(Burmeister, 1861) polytyp.	(Act.) 126
<i>manandaza</i>	Ward, 1872, = <i>ranavalona</i>	(A.) 82
manca	Thurau, 1903	(A.) 14
<i>mancamorpha</i>	Le Doux, 1932, ab. de <i>pudorina</i>	(A.) 19
<i>mandane</i>	Fabricius, 1793, = <i>circeis</i>	(Act.) 19
<i>manjaca</i>	Boisduval, 1833, = <i>serena</i>	(Act.) 55
mansya	Eltringham, 1911	(A.) 31
<i>maore</i>	Turlin, 2002, f. de <i>neobule</i>	(A.) 102
<i>maransetra</i>	Ward, 1872, = <i>ranavalona</i>	(A.) 82
<i>marginata</i>	Eltringham, 1911, f. <i>periphantes</i>	(A.) 9
<i>marginipunctata</i>	Le Doux, 1931, f. de <i>caldarena</i>	(A.) 59
<i>mariae</i>	Dufrane, 1945, ab. de <i>sotikensis</i>	(Act.) 70
<i>marmorata</i>	Grose-Smith & Kirby, 1892, = <i>turna</i>	(A.) 74
<i>marnois</i>	Rogenhofer, 1890, = <i>caecilia</i>	(A.) 55
marthae	(Jordan, 1910), ssp. de <i>stratonice</i>	(Act.) 130
masamba	Ward, 1872	(Act.) 27
masaris	Oberthür, 1893, polyt.	(Act.) 48
<i>masonala</i>	Ward, 1872, = <i>dammii</i>	(A.) 95
mathani	(Oberthür, 1917), ssp. de <i>erinome</i>	(Act.) 144
matuapa	Grose-Smith, 1889	(A.) 104
<i>mbulu</i>	Kielland, 1990, = <i>alicia</i>	(Act.) 67
medea	(Cramer, 1775)	(A.) 6
<i>media</i>	Eltringham, 1911, = <i>lycoa</i>	(Act.) 52
<i>mediafra</i>	Stoneham, 1936, = <i>lycoa</i>	(Act.) 52
<i>mediofasciata</i>	Neustetter, 1916, ab. ♀ de <i>caldarena</i>	(A.) 59
<i>medoa</i>	Palisot de Bauvois, 1805, = <i>medea</i> ???	(A.) 6
<i>megaspila</i>	Le Cerf, 1927, ab. de <i>acrita</i>	(A.) 17
<i>melaina</i>	Eltringham, 1911, f. de <i>periphantes</i>	(A.) 9
melampellos	(Godman & Salvin, [1881])	(Act.) 110
melanisans	(Oberthür, 1917)	(Act.) 111
<i>melanophanes</i>	Le Cerf, 1927, f. de <i>acara</i>	(A.) 76
<i>melanoradiata</i>	Stoneham, 1943, f. ♀ de <i>rahira</i>	(Act.) 89

<i>melanosticta</i> Sharpe, 1904, = <i>ntebiae</i>	(Act.) 12
<i>melanoxantha</i> Sharpe, 1891	(Act.) 13
<i>melas</i> Oberthür, 1893, ab. de <i>ventura</i>	(Act.) 56
<i>melina</i> (Thurau, 1903), ssp. de <i>epaea</i>	(A.) 112
<i>melina</i> Jordan, 1910, = <i>theophila</i>	(Act.) 129
<i>melini</i> Bryk, 1953, = <i>mathani</i>	(Act.) 144
<i>mengeli</i> Potts, 1944, = <i>theophila</i>	(Act.) 129
<i>menippe</i> Drury, 1782, f. de <i>zetes</i>	(A.) 75
<i>menoetes</i> (Oberthür, 1917), ssp. de <i>negra</i>	(Act.) 135
<i>merdiae</i> Oberthür, 1917, var. de <i>hyalina</i>	(Act.) 117
<i>meridana</i> (Jordan, 1910), ssp. de <i>stratonice</i>	(Act.) 130
<i>meruana</i> (Rogenhofer, 1891), = <i>aganice</i>	(A.) 129
<i>mesia</i> Jordan, 1910, = <i>euclia</i>	(Act.) 135
<i>mesoleuca</i> Wichgraf, 1914, f. ♀ de <i>natalica</i>	(A.) 58
<i>messeres</i> Jordan, 1910, = <i>alcione</i>	(Act.) 129
<i>metaprotea</i> (Butler, 1874), f. de <i>esebria</i>	(Act.) 46
<i>meyerana</i> Ackery, 1995, = <i>burni</i>	(Act.) 80
<i>meyeri</i> Kirsch, 1877	(A.) 110
<i>meyeri</i> van Son, 1963, = <i>burni</i>	(Act.) 80
<i>mhondana</i> Suffert, 1904, = <i>acara</i>	(A.) 76
<i>mhondana</i> Vuillot, 1891, = <i>terpsicore</i>	(A.) 107
<i>micropunctata</i> Le Doux, 1931, f. de <i>encedana</i>	(Act.) 39
<i>mielkei</i> (Paluch & Casagrande, 2006)	(Act.) 112
<i>miguelangeli</i> (Neild & R., 2008), ssp. de <i>alcione</i>	(Act.) 129
<i>mildbraedi</i> Schultze, 1916, ab. ♀ de <i>admatha</i>	(A.) 88
<i>mima</i> Neave, 1910, = <i>rhodesiana</i>	(A.) 62
<i>minima</i> Holland, 1892, = <i>uvui</i>	(Act.) 65
<i>mirabilis</i> Butler, 1886	(A.) 44
<i>miranda</i> Riley, 1920	(A.) 43
<i>mirifica</i> Lathy, 1906	(Act.) 92
<i>mirnae</i> (Paluch & Mielke, 2006)	(Act.) 113
<i>mitama</i> (Schaus, 1902), ssp. de <i>mamita</i>	(Act.) 126
<i>mixta</i> Le Doux, 1937, f. de <i>leopoldina</i>	(A.) 122
<i>mnemosyne</i> C. Felder, 1862, nom. nud.	
<i>modesta</i> Suffert, 1904, = <i>oncaeae</i>	(A.) 50
<i>moesa</i> d'Almeida, 1925, ab. de <i>genitrix</i>	(Act.) 105
<i>moforsa</i> (Suffert, 1904), = <i>macarista</i>	(A.) 138
<i>moliwensis</i> Strand, 1914, ab. de <i>orestia</i>	(Act.) 78
<i>moluccana</i> Felder, 1860, polyt.	(A.) 109
<i>mombasae</i> Grose-Smith, 1889, = <i>rabbiaeae</i>	(A.) 69
<i>momina</i> (Jordan, 1910)	(Act.) 134
<i>moneta</i> Potts, 1944, = <i>theophila</i>	(Act.) 129
<i>montana</i> (Butler, 1888), ssp. de <i>aganice</i>	(A.) 129
<i>montana</i> Stoneham, 1943, f. de <i>neobule</i>	(A.) 102
<i>monteironis</i> (Butler, 1874), f. de <i>esebria</i>	(Act.) 46

<i>morio</i> (Oberthür, 1917) polytyp.	(Act.) 114
<i>morogoro</i> (Carpenter & Jackson, 1950), = <i>quadricolor</i>	(A.) 131
<i>mosana</i> Suffert, 1904, = <i>anemosa</i>	(A.) 71
<i>moyobambae</i> Oberthür, 1917, = <i>negra</i>	(Act.) 135
<i>msamwiae</i> Strand, 1911, ab. de <i>acrita</i>	(A.) 17
<i>mucia</i> (Hopffer, 1874), ssp. de <i>pellenea</i>	(Act.) 117
<i>mufindi</i> Kielland, 1990, ssp. de <i>rahira</i>	(Act.) 89
<i>murcia</i> (Fabricius, 1781), = <i>camaena</i>	(A.) 105
<i>mutata</i> Eltringham, 1912, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>mycenaea</i> (Hübner, 1816), = <i>zetes</i>	(A.) 75
<i>mystica</i> Neave, 1904, = <i>sykesi</i>	(A.) 65
N	
<i>nado</i> (Ungemach, 1932), ssp. de <i>alcinoe</i>	(A.) 126
<i>nandensis</i> (Sharpe, 1899), = <i>disjuncta</i>	(Act.) 42
<i>napensis</i> Jordan, 1910, = <i>albofasciata</i>	(Act.) 132
<i>natalensis</i> Staudinger, 1896, = <i>cabira</i>	(Act.) 73
<i>natalica</i> Boisduval, 1847	(A.) 58
<i>nataliensis</i> Angas, 1849, = <i>violarum</i>	(A.) 22
<i>naura</i> Druce, 1875, ssp. de <i>trinacia</i>	(Act.) 137
<i>neavei</i> Poulton, 1924, = <i>althoffi</i>	(Act.) 62
<i>nebulosa</i> Hewitson, 1861, = <i>moluccana</i>	(A.) 109
<i>necessaria</i> Le Doux, 1923, = <i>caldarena</i>	(A.) 59
<i>necoda</i> Hewitson, 1861	(Act.) 40
<i>negra</i> C. & R. Felder, 1862, polytyp.	(Act.) 135
<i>neildi</i> Pierre, n. nom., ssp. de <i>thalia</i>	(Act.) 124
<i>neleus</i> (Latreille, [1813]) polytyp.	(Act.) 128
<i>nelsoni</i> Grose-Smith & Kirby, 1892, = <i>poggei</i>	(A.) 121
<i>neluska</i> Oberthür, 1878, ssp. de <i>caldarena</i>	(A.) 59
<i>neobule</i> Doubleday, 1850	(A.) 102
<i>nero</i> (Butler, 1883), = <i>caldarena</i>	(A.) 59
<i>neumannii</i> Le Doux, 1928, f. ♀ de <i>safie</i>	(Act.) 11
<i>newtoni</i> Sharpe, 1893	(Act.) 9
<i>ngorongoro</i> Kielland, 1990, f. de <i>acuta</i>	(Act.) 43
<i>nia</i> Strand, 1911, ab. de <i>pharsalus</i>	(Act.) 35
<i>nicega</i> (Suffert, 1904), = <i>aganice</i>	(A.) 129
<i>nicylla</i> Hopffer, 1874, = <i>monica</i>	(Act.) 135
<i>nicylloides</i> Strand, 1916, var. de <i>demonica</i>	(Act.) 135
<i>nidama</i> Suffert, 1904, = <i>dammii</i>	(A.) 96
<i>nigeriae</i> Schultze, 1923, = <i>encedon</i>	(Act.) 38
<i>nigra</i> Neustetter, 1916, ab. ♀ de <i>atolmis</i>	(A.) 30
<i>nigrescens</i> Eltringham, 1912, f. de <i>abdera</i>	(A.) 26
<i>nigrita</i> (Le Doux, 1937), = <i>epaea</i>	(A.) 112
<i>nigroapicalis</i> Aurivillius, 1893, f. de <i>orina</i>	(Act.) 6
<i>nigroapicalis</i> Overlaet, 1955, f. de <i>buettneri</i>	(A.) 25
<i>nigromacula</i> Le Doux, 1931, f. de <i>barberi</i>	(A.) 77

<i>nigromaculata</i>	Kielland, 1990, f. de <i>acuta</i>	(Act.) 43
<i>nigromarginata</i>	Le Doux, 1932, ab. de <i>acrita</i>	(A.) 17
<i>nigromarginata</i>	Le Doux, 1932, ab. de <i>pudorina</i>	(A.) 19
<i>ninapo</i>	Suffert, 1904, = <i>supponina</i>	(Act.) 72
niope	Sharpe, 1893	(A.) 7
<i>nivea</i>	Riley, 1921, = <i>anemosa</i>	(A.) 71
nohara	Boisduval, 1847, polyt.	(A.) 39
<i>noharoides</i>	Le Doux, 1923, f. de <i>punctellata</i>	(A.) 40
<i>nordestina</i>	d'Almeida, 1935, = <i>aulodea</i>	(Act.) 117
<i>notabilis</i>	d'Almeida, 1935, var. de <i>pallescens</i>	(Act.) 115
nox	(Bates, 1864), ssp. de <i>ozomene</i>	(Act.) 131
ntebiae	Sharpe, 1897, polyt.	(Act.) 12
<i>nubilata</i>	Eltringham, 1912, f. de <i>esebria</i>	(Act.) 46
<i>nuda</i>	Ungemach, 1932, f. de <i>ungemachi</i>	(Act.) 10
<i>nuda</i>	Wichgraf, 1914, ab. de <i>caecilia</i>	(A.) 55
<i>nyasae</i>	(Carpenter, 1920), = <i>aganice</i>	(A.) 129
<i>nyassicola</i>	Strand, 1911, ab. de <i>acrita</i>	(A.) 17
nyongana	D'Abraera, 1980, ssp. de <i>ntebiae</i>	(Act.) 12
<i>nyongana</i>	Strand, 1914, ab. de <i>ntebiae</i>	(Act.) 12
O		
<i>oatesi</i>	van Son, 1936, ab. de <i>natalica</i>	(A.) 58
oaxaca	(Miller & Miller, 1979), ssp. de <i>stratonice</i>	(Act.) 130
obeira	Hewitson, 1863	(Act.) 79
oberthueri	Butler, 1895, polyt.	(Act.) 64
obliqua	(Aurivillius, 1913)	(A.) 119
oboti	Collins & Larsen, 2000, ssp. de <i>oreas</i>	(Act.) 23
<i>obscura</i>	Dufrane, 1945, ab. de <i>bonasia</i>	(Act.) 67
<i>obscura</i>	Suffert, 1904, = <i>oncaeae</i>	(A.) 50
<i>obscuroides</i>	Le Doux, 1923, f. ♀ de <i>caldarena</i>	(A.) 59
occidentalis	Bethune-Baker, 1926, ssp. de <i>wigginsi</i>	(Act.) 86
<i>ochracea</i>	Le Doux, 1931, = de <i>braesia/nohara</i> ??	(A.) 67
<i>ochrafasciata</i>	Stoneham, 1936, f. ♀ de <i>althoffi</i>	(Act.) 62
<i>ochramaculata</i>	Stoneham, 1936, f. ♀ de <i>althoffi</i>	(Act.) 62
<i>ochrareducta</i>	Stoneham, 1936, f. ♀ de <i>althoffi</i>	(Act.) 62
ochrascens	Sharpe, 1902	(Act.) 57
ochreana	(Hayward, 1931), ssp. de <i>parapheles</i>	(Act.) 116
<i>ochreana</i>	Hayward, 1931, f. de <i>parapheles</i>	(Act.) 116
<i>ochreata</i>	Eltringham, 1912, f. ♀ de <i>althoffi</i>	(Act.) 62
<i>ochreata</i>	Grünberg, 1910, f. de <i>eugenia</i>	(A.) 93
<i>ochrextensa</i>	Stoneham, 1937, f. de <i>aurivillii</i>	(Act.) 50
<i>ochrotaenia</i>	Jordan, 1913, f. de <i>anteas</i>	(Act.) 124
<i>octobalia</i>	Karsch, 1894, = <i>johnstoni</i>	(Act.) 53
odzalae	D'Abraera, 1998	(Act.) 93
<i>oenone</i>	Kirby, 1889, = <i>andromacha</i>	(A.) 108
oldeani	Kielland, 1990, ssp. de <i>baxteri</i>	(Act.) 16

<i>olgae</i> Rebel, 1902, = <i>dicaeus</i>	(Act.) 132
<i>ombria</i> Weymer, 1892, = <i>caldarena</i>	(A.) 59
<i>omrora</i> Trimen, 1894, polyt.	(A.) 23
<i>oncaeа</i> Hopffer, 1855	(A.) 50
<i>onerata</i> Trimen, 1891	(A.) 32
<i>opis</i> (Herbst, 1793), = <i>circeis</i>	(Act.) 19
<i>oppidia</i> Hewitson, 1874, f. de <i>parrhasia</i>	(Act.) 18
<i>orangica</i> (Henning & Henning, 1996), = <i>anacreon</i>	(Act.) 85
<i>oreas</i> Sharpe, 1891, polyt.	(Act.) 23
<i>orestia</i> Hewitson, 1874	(Act.) 78
<i>orestina</i> Plötz, 1880, = <i>orestia</i>	(Act.) 78
<i>oreta</i> Hewitson, 1874, = <i>orina</i>	(Act.) 6
<i>orientalis</i> Ungemach, 1932, ssp. de <i>aganice</i>	(A.) 129
<i>orientis</i> Aurivillius, 1904, = <i>parrhasia</i>	(Act.) 18
<i>orina</i> Hewitson, 1874	(Act.) 6
<i>orinata</i> Oberthür, 1893	(Act.) 7
<i>orineta</i> Eltringham, 1912, = <i>orinata</i>	(Act.) 7
<i>orizava</i> Reakirt, 1866, = <i>nox</i>	(Act.) 131
<i>ornata</i> Dufrane, 1945, ab. de <i>bonasia</i>	(Act.) 67
<i>ornata</i> Schultze, 1923, ab. de <i>oberthueri</i>	(Act.) 64
<i>oscaria</i> Rothschild, 1902	(A.) 78
<i>oumbiana</i> Ungemach, 1932, ab. de <i>safie</i>	(Act.) 11
<i>overlaeti</i> Pierre, 1988	(A.) 24
<i>ozinta</i> (Schaus, 1902), ssp. de <i>dicaeus</i>	(Act.) 132
<i>ozomene</i> (Godart, 1819) polytyp.	(Act.) 131
P	
<i>pallasia</i> Oberthür, 1917, var. de <i>carica</i>	(Act.) 132
<i>pallasinia</i> Oberthür, 1917, var. de <i>carica</i>	(Act.) 132
<i>pallescens</i> (Jordan, 1913)	(Act.) 115
<i>pallescens</i> Gabriel, 1939, ab. de <i>quadricolor</i>	(A.) 131
<i>pallescens</i> Jordan, 1913, f. de <i>pallescens</i>	(Act.) 115
<i>pallida</i> Carpenter, 1932, f. de <i>kraka</i>	(A.) 3
<i>pallida</i> Le Doux, 1923, f. de <i>caldarena</i>	(A.) 59
<i>pallidepicta</i> Storace, 1949, f. ♀ de <i>neobule</i>	(A.) 102
<i>pallidepicta</i> Strand, 1911, ab. de <i>pharsalus</i>	(Act.) 35
<i>pallidibrunnea</i> Stoneham, 1943, f. de <i>esebria</i>	(Act.) 46
<i>pancalis</i> (Jordan, 1910), = <i>adrasta</i>	(A.) 116
<i>paragea</i> (Grose-Smith, 1900), polyt.	(A.) 113
<i>paragoga</i> Hering, 1936, = <i>poggei</i>	(A.) 121
<i>parapetraea</i> Schouteden, 1919, = <i>buettneri</i>	(A.) 25
<i>parapheles</i> (Jordan, 1913) polytyp.	(Act.) 116
<i>parce</i> Staudinger, 1896, ssp. de <i>moluccana</i>	(A.) 109
<i>parei</i> (Henning & Henning, 1996), = <i>anacreon</i>	(Act.) 85
<i>parrhasia</i> (Fabricius, 1793), polyt.	(Act.) 18
<i>parrhoppidia</i> Staudinger, 1896, = <i>parrhasia</i>	(Act.) 18

<i>pasiphae</i> Fabricius, 1781, = <i>medea</i>	(A.) 6
<i>paulinae</i> Bryk, 1931, f. de <i>ansorgei</i>	(Act.) 42
<i>pauperata</i> Thurau, 1903, ab. de <i>acrita</i>	(A.) 17
peetersi Pierre, 1992	(A.) 5
<i>pelasgius</i> Grose-Smith, 1900, = <i>peneleos</i>	(Act.) 20
pella Fruhstorfer, 1907, ssp. de <i>moluccana</i>	(A.) 109
pellenea (Hübner, [1821]) polytyp.	(Act.) 117
pelopeia Staudinger, 1896	(Act.) 21
<i>pembanus</i> Kielland, 1990, = <i>egina</i>	(A.) 8
<i>peneleoides</i> Strand, 1914, f. de <i>peneleos</i>	(Act.) 20
peneleos Ward, 1871, polyt.	(Act.) 20
<i>penella</i> Eltringham, 1912, f. ♀ de <i>penelope</i>	(Act.) 8
penelope Staudinger, 1896, polyt.	(Act.) 8
pentapolis Ward, 1871, polyt.	(Act.) 82
<i>percussa</i> Keferstein, 1870, = <i>dammii</i>	(A.) 95
<i>peregrina</i> Le Doux, 1937, f. ♀ de <i>excisa</i>	(A.) 133
perenna Doubleday, 1850, polyt.	(Act.) 1
perfulta (Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
periphanes Oberthür, 1893	(A.) 9
perisa (Jordan, 1913), ssp. de <i>surima</i>	(Act.) 123
perlucida Henning & Henning, 1996, ssp. de <i>rabbiae</i>	(A.) 69
<i>perradiata</i> Le Cerf, 1927, ab. de <i>encedon</i>	(Act.) 38
<i>perrupta</i> Butler, 1883, = <i>serena</i>	(Act.) 55
persanguinea Rebel, 1914	(A.) 124
<i>persiphone</i> (Fabricius, 1793) = <i>egina</i>	(A.) 8
<i>pervia</i> Sharpe, 1897, = <i>semivitrea</i>	(Act.) 24
petraea Boisduval, 1847	(A.) 27
<i>petrina</i> Suffert, 1904, = <i>petraea</i>	(A.) 27
<i>pharsaloides</i> Holland, 1892, = <i>pharsalus</i>	(Act.) 35
pharsalus Ward, 1871	(Act.) 35
<i>pheusaca</i> Suffert, 1904, = <i>cepheus</i>	(A.) 29
<i>philos</i> Le Cerf, 1933, = <i>baxteri</i>	(Act.) 16
<i>pica</i> Eltringham, 1912, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>picta</i> Schouteden, 1919, ab. de <i>vesperalis</i>	(Act.) 83
<i>pierrei</i> (Neild, 2008), = <i>neildi</i>	(Act.) 124
pierrei Berger, 1981	(Act.) 59
<i>piva</i> Guenée, 1865, = <i>obeira</i>	(Act.) 79
<i>plagioscia</i> (Bethune-Baker, 1908), = <i>macarista</i>	(A.) 138
<i>planesium</i> Oberthür, 1893, = <i>alicia</i>	(Act.) 67
<i>platyxantha</i> (Jordan, 1911), = <i>tellus</i>	(A.) 114
poggei Dewitz, 1879, polyt.	(A.) 121
polis Pierre & Bernaud, 1999	(Act.) 81
<i>pollonia</i> Golman & Salvin, 1888, = <i>moluccana</i>	(A.) 109
<i>polychroma</i> Rebel, 1910, f. de <i>amicitiae</i>	(Act.) 15
<i>polydectes</i> Ward, 1871, = <i>perenna</i>	(Act.) 1

<i>pomponia</i>	Grose-Smith, 1900, = <i>penelope</i>	(Act.) 8
<i>postaperta</i>	Bryck, 1950, f. de <i>eriname</i>	(Act.) 144
<i>poultoni</i>	Le Doux, 1931, f. de <i>encedon</i>	(Act.) 38
<i>praelongata</i>	Hancock & Heath, 1988, = <i>johnstoni</i>	(Act.) 53
<i>praelongata</i>	Joicey & Talbot, 1926, = <i>johnstoni</i>	(Act.) 53
<i>praeponina</i>	Staudinger, 1896, = <i>bonasia</i>	(Act.) 67
<i>pratensis</i>	(Francini, Freitas & Penz, 2004)	(Act.) 118
<i>pretiosa</i>	Carpenter, 1932, f. de <i>johnstoni</i>	(Act.) 53
<i>propagata</i>	Le Doux, 1923, f. ♀ de <i>leucopyga</i>	(A.) 60
<i>protea</i>	Trimen, 1862, = <i>esebria</i>	(Act.) 46
<i>proteinia</i>	Oberthür, 1893, = <i>johnstoni</i>	(Act.) 53
<i>pseudacontias</i>	Wichgraf, 1914, f. de <i>petraea</i>	(A.) 27
<i>pseudatolmis</i>	Eltringham, 1912	(A.) 41
<i>pseudegina</i>	Westwood, 1852	(A.) 57
<i>pseudepaea</i>	Dudgeon, 1909	(Act.) 63
<i>pseudequatoria</i>	Hayward, 1935, f. de <i>diagnita</i>	(Act.) 117
<i>pseudeuryta</i>	Godman & Salvin, 1890	(A.) 135
<i>pseudohumilis</i>	Stoneham, 1943, = <i>orestia</i>	(Act.) 78
<i>pseudolycia</i>	Butler, 1874, polyt.	(A.) 73
<i>pseudopelasgius</i>	Strand, 1914, f. de <i>peneleos</i>	(Act.) 20
<i>pseudoppidia</i>	Strand, 1914, f. de <i>parrhasia</i>	(Act.) 18
<i>pseudoprotea</i>	(Butler, 1874), = <i>esebria</i>	(Act.) 46
<i>pseudoprotea</i>	Staudinger, 1896, = <i>excisa</i>	(A.) 133
<i>pudora</i>	Aurivillius, 1910, ssp. de <i>caecilia</i>	(A.) 55
<i>pudorella</i>	Aurivillius, 1899, polyt.	(A.) 46
<i>pudorina</i>	Staudinger, 1885	(A.) 19
<i>pullula</i>	Grünberg, 1911, = <i>acerata</i>	(Act.) 60
<i>punctata</i>	Hayward, 1935, f. de <i>surima</i>	(Act.) 123
<i>punctellata</i>	Eltringham, 1912	(A.) 40
<i>punctimarginea</i>	Pinhey, 1956	(A.) 85
<i>punctula</i>	Strand, 1914, ab. de <i>vesperalis</i>	(Act.) 83
<i>puricella</i>	Bryk, 1953, f. de <i>crassinia</i>	(Act.) 124
<i>pyrrha</i>	(Fabricius, 1775) polytyp.	(Act.) 119
Q		
<i>quadricolor</i>	(Rogenhofer, 1891)	(A.) 131
<i>quasicinerea</i>	Hayward, 1931, f. de <i>calymna</i>	(Act.) 117
<i>quirina</i>	Fabricius, 1781, polyt.	(A.) 91
<i>quirinalis</i>	Grose-Smith, 1900	(Act.) 17
R		
<i>rabbiae</i>	Ward, 1873, polyt.	(A.) 69
<i>rabuma</i>	(Suffert, 1904), = <i>umbra</i>	(A.) 127
<i>racaji</i>	(Pyrcz, 1991), = <i>alcinoe</i>	(A.) 126
<i>radians</i>	Aurivillius, 1913, ab. ♀ de <i>oreas</i>	(Act.) 23
<i>radiata</i>	Aurivillius, 1905, = <i>encedana</i>	(Act.) 39
<i>radiata</i>	Guenée, 1865, f. de <i>zitja</i>	(Act.) 87

<i>radiata</i> Hewitson, 1868, polytyp.	(Act.) 145
<i>radiata</i> Howarth, 1969, f. ♀ de <i>acuta</i>	(Act.) 43
<i>radiofasciata</i> Stoneham, 1943, ab. de <i>encedana</i>	(Act.) 39
<i>radiosa</i> Herrich-Schäffer, 1865, nom. nud.	
<i>rahira</i> Boisduval, 1833, polyt.	(Act.) 89
<i>rakeli</i> Boisduval, 1833, = <i>zitja</i>	(Act.) 87
<i>ranavalona</i> Boisduval, 1833	(A.) 82
<i>rangatana</i> Eltringham, 1912, polyt.	(Act.) 58
<i>ras</i> Ungemach, 1932, ssp. de <i>poggei</i>	(A.) 121
<i>rathjensi</i> Le Doux, 1933, ssp. de <i>encedon</i>	(Act.) 38
<i>recaldana</i> Suffert, 1904, = <i>caldarena</i>	(A.) 59
<i>reducta</i> Howarth, 1969, f. ♀ de <i>acuta</i>	(Act.) 43
<i>reducta</i> Jordan, 1913, ab. de <i>ozomene</i>	(Act.) 131
<i>reducta</i> Le Doux, 1928, f. de <i>serena</i>	(Act.) 55
<i>reducta</i> Wichgraf, 1918, = <i>pudorella</i>	(A.) 46
<i>regalis</i> Oberthür, 1893	(A.) 66
<i>reversa</i> Eltringham, 1912, f. de <i>circeis</i>	(Act.) 19
<i>rhodesiana</i> Wichgraf, 1909	(A.) 62
<i>rhodina</i> Rothschild & Jordan, 1905, = <i>parrhasia</i>	(Act.) 18
<i>rhodina</i> Rothschild, 1902, = <i>pharsalus</i>	(Act.) 35
<i>rhodope</i> d'Almeida, 1923	(Act.) 120
<i>rileyi</i> (Le Doux, 1937), f. de <i>macarista</i>	(A.) 138
<i>rileyi</i> Eltringham, 1913, = <i>zoumi</i>	(A.) 63
<i>rileyi</i> Le Doux, 1931	(Act.) 33
<i>rogersi</i> Hewitson, 1873	(A.) 4
<i>rohlfsi</i> Suffert, 1904	(A.) 28
<i>romeroi</i> (Neild & Costa, 2008)	(Act.) 121
<i>roqueensis</i> Bryk, 1953, = <i>crassinia</i>	(Act.) 124
<i>rosa</i> Eltringham, 1912, ssp. de <i>quirina</i>	(A.) 91
<i>rosaria</i> Weymer, 1890, = <i>albofasciata</i>	(Act.) 132
<i>rosina</i> Rogenhofer, 1891, = <i>chilo</i>	(A.) 79
<i>rougetii</i> Guérin-Méneville, 1849, = <i>serena</i>	(Act.) 55
<i>rowena</i> Eltringham, 1912, = <i>sotikensis</i>	(Act.) 70
<i>rowenina</i> Gaede, 1915, f. de <i>sotikensis</i>	(Act.) 70
<i>ruandae</i> Grünberg, 1911, ab. de <i>acerata</i>	(Act.) 60
<i>rubescens</i> Trimen, 1908, f. de <i>asboloplitha</i>	(A.) 56
<i>rubida</i> Le Doux, 1923, ab. de <i>pudorina</i>	(A.) 19
<i>rubra</i> Eltringham, 1912, f. ♀ de <i>parrhasia</i>	(Act.) 18
<i>rubristriatus</i> Stoneham, 1937, f. de <i>egina</i>	(A.) 8
<i>rubrobasalis</i> Howarth, 1969, f. de <i>acuta</i>	(Act.) 43
<i>rubrocellulata</i> (Hayward, 1960)	(Act.) 142
<i>rubrofasciata</i> Aurivillius, 1895, = <i>althoffi</i>	(Act.) 62
<i>rubrosticta</i> Jordan, 1913, f. de <i>dicaeus</i>	(Act.) 132
<i>rudolfi</i> Eltringham, 1929, f. de <i>zetes</i>	(A.) 75
<i>rudolphina</i> (Herbst, 1792) = <i>egina</i>	(A.) 8

<i>rueppelli</i> Saalmüller, 1878, = <i>masamba</i>	(Act.) 27
<i>rufa</i> (Jordan, 1910), ssp. de <i>callianthe</i>	(Act.) 136
<i>rufina</i> Oberthür, 1917	(Act.) 122
<i>rufoniger</i> van Someren, 1936, f. de <i>ansorgei</i>	(Act.) 42
<i>ruperti</i> O'Neil, 1919, f. de <i>pharsalus</i>	(Act.) 35
<i>rupicola</i> Schultze, 1912	(Act.) 71
<i>rutila</i> Herrich-Schäffer, 1865, nom. nud.	
S	
<i>safie</i> Felder & Felder, 1865	(Act.) 11
<i>sainorum</i> (Neild & Romero, 2008), ssp. de <i>thalia</i>	(Act.) 124
<i>salambo</i> Grose-Smith, 1887, = <i>rogersi</i>	(A.) 4
<i>salmonea</i> Jordan, 1910, = <i>alcione</i>	(Act.) 129
<i>salmonea</i> Le Doux, 1922, = <i>equatorialis</i>	(A.) 59
<i>salmontana</i> (Henning & Henning, 1996), = <i>anacreon</i>	(Act.) 85
<i>saluspha</i> Suffert, 1904, = <i>pharsalus</i>	(Act.) 35
<i>salvini</i> Butler, 1895, = <i>alcinoe</i>	(A.) 126
<i>sambar</i> Stoneham, 1943, = <i>orestia</i>	(Act.) 78
<i>sambavae</i> Ward, 1873	(Act.) 29
<i>sanderi</i> Rothschild & Jordan, 1893, = <i>andromacha</i>	(A.) 108
<i>saronis</i> (Hübner, 1816), = <i>medea</i>	(A.) 6
<i>sarsanda</i> Druce, 1903, = <i>elatus</i>	(Act.) 129
<i>sartina</i> (Jordan, 1910), = <i>consanguinea</i>	(A.) 132
<i>satis</i> Ward, 1871	(A.) 70
<i>scalivittata</i> Butler, 1896	(A.) 130
<i>schecana</i> Rothschild & Jordan, 1905, ssp. de <i>aurivillii</i>	(Act.) 50
<i>schoutedeni</i> (Le Doux, 1937), = <i>pseudeuryta</i>	(A.) 121
<i>schoutedeni</i> Overlaet, 1954, = <i>bailunduensis</i>	(A.) 35
<i>schubotzi</i> (Grünberg, 1911)	(A.) 115
<i>sciana</i> Jordan, 1910, ab. de <i>erinome</i>	(Act.) 144
<i>scioptera</i> Le Cerf, 1927, f. <i>turna</i>	(A.) 74
<i>scotosis</i> (Jordan, 1910), ssp. de <i>negra</i>	(Act.) 135
<i>segesta</i> Weymer, 1890, = <i>tenebrosa</i>	(Act.) 138
<i>seis</i> Feisthamel, 1850, = <i>neobule</i>	(A.) 102
<i>seitzi</i> Le Doux, 1922, f. de <i>periphanes</i>	(A.) 9
<i>selousi</i> Riley, 1920, f. ♀ de <i>miranda</i>	(A.) 43
<i>semialbescens</i> Oberthür, 1893, f. de <i>johnstoni</i>	(Act.) 53
<i>semifulvescens</i> Oberthür, 1893, f. de <i>johnstoni</i>	(Act.) 53
<i>semilutea</i> Jordan, 1913, f. de <i>hyalina</i>	(Act.) 117
<i>semipunctella</i> Strand, 1911, ab. de <i>parrhasia</i>	(Act.) 18
<i>semivitrea</i> Aurivillius, 1895	(Act.) 24
<i>senia</i> Jordan, 1910, = <i>callianira</i>	(Act.) 132
<i>sepia</i> Eltringham, 1912, f. ♀ de <i>peneleos</i>	(Act.) 20
<i>serena</i> (Schultze, 1923), = <i>elongata</i>	(A.) 123
<i>serena</i> Fabricius, 1775	(Act.) 55
<i>servona</i> Godart, 1819, ssp. de <i>parrhasia</i>	(Act.) 18

<i>sganzini</i> Boisduval, 1833, = <i>encedon</i>	(Act.) 38
<i>sheba</i> Gabriel, 1954, f. de <i>neobule</i>	(A.) 102
<i>siabona</i> Suffert, 1904, = <i>bonasia</i>	(Act.) 67
<i>sidamona</i> Rothschild & Jordan, 1905, ssp. de <i>zetes</i>	(A.) 75
<i>siginna</i> Suffert, 1904, = <i>insignis</i>	(A.) 97
<i>silacea</i> Eltringham, 1912, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>silia</i> Mabille, 1887	(Act.) 28
<i>siliana</i> Oberthür, 1916, = <i>silia</i>	(Act.) 28
<i>silicola</i> Richelmann, 1913, = <i>johnstoni</i>	(Act.) 53
<i>simulata</i> Le Doux, 1923, = <i>orestia</i>	(Act.) 78
<i>simulata</i> Le Doux, 1932, = <i>dewitzi</i>	(A.) 118
<i>simulator</i> Ackery, 1995, = <i>simulata</i> = <i>dewitzi</i>	(A.) 118
<i>sinalba</i> Pierre, 1979, morphe de <i>leucographa</i>	(A.) 86
<i>sinefascia</i> Jordan, 1913, f. de <i>dicaeus</i>	(Act.) 132
<i>sinepeduncles</i> Stoneham, 1936, f. de <i>iturina</i>	(Act.) 30
<i>sjoestedti</i> Bryk, 1917, ab. De <i>pentapolis</i>	(Act.) 82
<i>skinneri</i> (Neild & Romero, 2008), ssp. de <i>alberti</i>	(Act.) 95
<i>smithi</i> Aurivillius, 1922, = <i>aurivillii</i>	(Act.) 50
<i>smithii</i> Mabille, 1880, = <i>fornax</i>	(Act.) 61
<i>sobrina</i> (Jordan, 1910), ssp. de <i>negra</i>	(Act.) 135
<i>sodalis</i> (Butler, 1877), = <i>alcione</i>	(Act.) 129
<i>sokotrana</i> Rebel, 1907, = <i>neobule</i>	(A.) 102
<i>sotikensis</i> Sharpe, 1891, polyt.	(Act.) 70
<i>speciosa</i> Wichgraf, 1909, = <i>anacreon</i>	(Act.) 85
<i>stavelia</i> (Suffert, 1904), = <i>vestalis</i>	(A.) 140
<i>stenobea</i> Wallengren, 1857	(A.) 52
<i>stephanophora</i> Le Cerf, 1927, f. de <i>pseudegina</i>	(A.) 57
<i>stonehami</i> D'Abra, 1980, = <i>lycoa</i>	(Act.) 52
<i>straminosa</i> Jordan, 1913, f. de <i>latior</i>	(Act.) 109
<i>stratonice</i> (<i>Heliconius</i>) polytyp.	(Act.) 130
<i>strattipocles</i> Oberthür, 1893	(Act.) 26
<i>strigipygida</i> Birket-Smith, 1960, ab. de <i>peneleos</i>	(Act.) 20
<i>subapicalis</i> Strand, 1914, ab. de <i>tellus</i>	(A.) 114
<i>subbadia</i> (Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
<i>subdemonica</i> Strand, 1916, = <i>monica</i>	(Act.) 135
<i>subelatus</i> Jordan, 1913, = <i>elatus</i>	(Act.) 129
<i>subfulva</i> Eltringham, 1912, f. ♀ de <i>jodutta</i>	(Act.) 45
<i>subhyalina</i> (Staudinger, 1885), ssp. de <i>pellenea</i>	(Act.) 117
<i>subjanisca</i> Dufrane, 1945, ab. ♀ de <i>serena</i>	(Act.) 55
<i>sublutosa</i> Strand, 1914, ab. ♀ de <i>epaea</i>	(A.) 112
<i>subochreata</i> Grünberg, 1910, f. de <i>parrhasia</i>	(Act.) 18
<i>subrubicunda</i> d'Almeida, 1925, ab. de <i>genitrix</i>	(Act.) 105
<i>subserena</i> Grose-Smith, 1900, = <i>serena</i>	(Act.) 55
<i>subsquamia</i> Thurau, 1903, = <i>baxteri</i>	(Act.) 16
<i>subsuffusa</i> Stoneham, 1936, f. de <i>uvui</i>	(Act.) 65

<i>sucepha</i>	Suffert, 1904, = <i>cepheus</i>	(A.) 29
<i>sufferti</i>	Le Cerf, 1927, =. <i>acara</i>	(A.) 76
<i>suffusa</i>	Dufrane, 1945, ab. de <i>bonasia</i>	(Act.) 67
<i>suffusa</i>	Eltringham, 1912, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>sulphurescens</i>	Aurivillius, 1913, f. ♀ de <i>penelope</i>	(Act.) 8
<i>supponina</i>	Staudinger, 1896	(Act.) 72
<i>surima</i>	Schaus, 1902 polytyp.	(Act.) 123
<i>suspecta</i>	Jordan, 1913, ssp. de <i>thalia</i>	(Act.) 124
<i>swinburnei</i>	Stevenson, 1940, ab. de <i>cabira</i>	(Act.) 73
<i>swynnertonii</i>	O'Neil, 1919, f. de <i>esebria</i>	(Act.) 46
<i>sykesi</i>	Sharpe, 1902	(A.) 65
T		
<i>taborana</i>	Suffert, 1904, = <i>petraea</i>	(A.) 27
<i>taborensis</i>	Le Doux, 1931, f. de <i>utengulensis</i>	(A.) 15
<i>telekiana</i>	Rogenhofer, 1891, = <i>johnstoni</i>	(Act.) 53
<i>tella</i>	Eltringham, 1912, f. de <i>aurivillii</i>	(Act.) 50
<i>telloides</i>	Eltringham, 1912, f. ♀ de <i>althoffi</i>	(Act.) 62
<i>tellus</i>	(Aurivillius, 1893) , polyt.	(A.) 114
<i>tenebrarum</i>	(Oberthür, 1917), ssp. de <i>trinacia</i>	(Act.) 137
<i>tenebrosa</i>	Eltringham, 1912, = <i>parrhasia</i>	(Act.) 18
<i>tenebrosa</i>	Hewitson, 1868, polytyp.	(Act.) 138
<i>tenebrosana</i>	Ackery, 1995, = <i>parrhasia</i>	(Act.) 18
<i>tenella</i>	Rogenhofer, 1891, = <i>acerata</i>	(Act.) 60
<i>tenelloides</i>	Poulton, 1908, f. ♀ de <i>alicia</i>	(Act.) 67
<i>tenuilimbata</i>	d'Almeida, 1931, ab. de <i>rhodope</i>	(Act.) 120
<i>tenuimarginatus</i>	Stoneham, 1937, = <i>egina</i>	(A.) 8
<i>terpsicore</i>	(Linné), 1893,	(A.) 107
<i>terpsinoe</i>	(C. & R. Felder, 1862), ssp. de <i>thalia</i>	(Act.) 124
<i>tescea</i>	Suffert, 1904, = <i>acara</i>	(A.) 76
<i>testacea</i>	Salvin & Godman, 1868, ssp. de <i>erinome</i>	(Act.) 144
<i>thalia</i>	(Linné, 1758) polytyp.	(Act.) 124
<i>thelestis</i>	Oberthür, 1893, = <i>pentapolis</i>	(Act.) 82
<i>theodote</i>	Wallengren, 1860, = <i>andromacha</i>	(A.) 108
<i>theogonia</i>	Weymer, 1890, = <i>amida</i>	(Act.) 132
<i>theophila</i>	(Dognin, 1887), ssp. de <i>alcione</i>	(Act.) 129
<i>thespias</i>	Weymer, 1890, = <i>carica</i>	(Act.) 132
<i>thesprio</i>	Oberthür, 1893, = <i>perenna</i>	(Act.) 1
<i>tillini</i>	Gabriel, 1949, f. ♀ de <i>safie</i>	(Act.) 11
<i>timandra</i>	Doubleday, 1850, = <i>epaea</i>	(A.) 112
<i>tirika</i>	Eltringham, 1911, = <i>lycoa</i>	(Act.) 52
<i>toka</i>	Strand, 1912, ab. de <i>serena</i>	(Act.) 55
<i>toroense</i>	Poulton, 1929, = <i>kivuensis</i>	(A.) 120
<i>torquata</i>	Le Cerf, 1927, ab. de <i>masamba</i>	(Act.) 27
<i>toruna</i>	Grose-Smith, 1900	(Act.) 54
<i>transienda</i>	Strand, 1911, ab. de <i>parrhasia</i>	(Act.) 18

<i>transita</i>	Eltringham, 1912, f. de <i>orestia</i>	(Act.) 78
<i>translucida</i>	Eltringham, 1912, = <i>penelope</i>	(Act.) 8
<i>travassosi</i>	d'Almeida, 1934, = <i>melanisans</i>	(Act.) 111
<i>tricolor</i>	van Someren, 1936, f. de <i>ansorgei</i>	(Act.) 42
<i>trigutta</i>	Herrich-Schäffer, 1865, nom. nud.	
<i>trimeni</i>	Aurivillius, 1899, f. de <i>barberi</i>	(A.) 77
<i>trinacria</i>	C. & R. Felder, 1862, polytyp.	(Act.) 137
<i>trinitatis</i>	(Jordan, 1913), ssp. de <i>pellenea</i>	(Act.) 117
<i>tristis</i>	Schultze, 1923, ab. de <i>bonasia</i>	(Act.) 67
<i>tropicalis</i>	Blachier, 1912, = <i>pelopeia</i>	(Act.) 21
<i>turbata</i>	Le Doux, 1923, f. de <i>igola</i>	(Act.) 4
<i>turlini</i>	Pierre, 1979	(A.) 106
<i>turna</i>	Mabille, 1877	(A.) 74
U		
<i>uasingishuensis</i>	Stoneham, 1943, = <i>rahira</i>	(Act.) 89
<i>ufipana</i>	Strand, 1911, ab. de <i>anemosa</i>	(A.) 71
<i>ugandae</i>	(van Someren, 1936), = <i>aganice</i>	(A.) 129
<i>ukerewensis</i>	Le Doux, 1923, = <i>acara</i>	(A.) 76
<i>uluguru</i>	(Kielland, 1990), = <i>quadricolor</i>	(A.) 131
<i>umbra</i>	(Drury, 1782) , polyt.	(A.) 127
<i>umbraetae</i>	Pierre, 1988, ssp. de <i>omrora</i>	(A.) 23
<i>umbrata</i>	d'Almeida, 1935, ab. de <i>parapheles</i>	(Act.) 116
<i>umbrata</i>	Suffert, 1904, = <i>natalica</i>	(A.) 58
<i>umbrata</i>	Wichgraf, 1909, = <i>omrora umbraetae</i>	(A.) 23
<i>umbratalcippina</i>	Le Doux, 1931, ab. de <i>encedon</i>	(Act.) 38
<i>umbrina</i>	Aurivillius, 1910, ab. de <i>caecilia</i>	(A.) 55
<i>umida</i>	Wichgraf, 1909, f. ♀ de <i>periphanes</i>	9
<i>ungemachi</i>	Le Cerf, 1927	(Act.) 10
<i>unicolor</i>	Talbot, 1932, = <i>tenebrasum</i>	(Act.) 137
<i>uniformis</i>	Gabriel, 1939, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>unimaculata</i>	Grose-Smith, 1898	2
<i>unipunctella</i>	Strand, 1911, ab. de <i>parrhasia</i>	(Act.) 18
<i>urungensis</i>	Strand, 1911, ab. <i>anemosa</i>	(A.) 71
<i>usagara</i>	Strand, 1914, ab. <i>perenna</i>	(Act.) 1
<i>usagariae</i>	Vuillot, 1891, = <i>encedon</i>	(Act.) 38
<i>usambarae</i>	Jackson, 1951, ssp. de <i>excelsior</i>	(Act.) 76
<i>usambarensis</i>	Le Doux, 1928, f. ♀ de <i>conradti</i>	(Act.) 14
<i>usaramensis</i>	Strand, 1911, ab. de <i>acrita</i>	(A.) 17
<i>utengulensis</i>	Thurau, 1903,	(A.) 15
<i>uvui</i>	Grose-Smith, 1890, polyt.	(Act.) 65
<i>uzungwae</i>	Kielland, 1990, = <i>alicia</i>	(Act.) 67
V		
<i>valdemaculosa</i>	Carpenter, 1932, f. de <i>johnstoni</i>	(Act.) 53
<i>vansomereni</i>	Bryk, 1931, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>varia</i>	Le Doux, 1923, f. ♀ de <i>caecilia</i>	(A.) 55

<i>varia</i> Le Doux, 1937, f. de <i>elongata</i>	(A.) 123
<i>varians</i> (Jordan, 1910), ssp. de <i>alcione</i>	(Act.) 129
<i>venata</i> Hayward, 1931, f. de <i>calymna</i>	(Act.) 117
<i>vendita</i> (Grünberg, 1910), = <i>macarista</i>	(A.) 138
<i>vendita</i> (Wichgraf, 1911), = <i>poggei</i>	(A.) 121
<i>ventura</i> Hewitson, 1877	(Act.) 56
<i>venturina</i> Thurau, 1903, ab. de <i>serena</i>	(Act.) 55
<i>vernata</i> Herrich-Schäffer, 1865, nom. nud.	
<i>vesperalis</i> Grose-Smith, 1890	(Act.) 83
<i>vesta</i> (Fabricius, 1787), = <i>issoria</i>	(Act.) 91
<i>vestalina</i> (Fruhstorfer, 1906), ssp. de <i>issoria</i>	(Act.) 91
<i>vestalis</i> Felder & Felder, 1865	(A.) 140
<i>vestita</i> (de Nicéville, 1895), ssp. de <i>issoria</i>	(Act.) 91
<i>vestoides</i> (Moore, 1906), ssp. de <i>issoria</i>	(Act.) 91
<i>victoris</i> Poulton, 1927, f. de <i>esebria</i>	(Act.) 46
<i>vidua</i> Ungemach, 1932, f. ♀ de <i>aurivillii</i>	(Act.) 50
<i>villettei</i> Oberthür, 1925, = <i>dammii</i>	(A.) 95
<i>vinidia</i> Hewitson, 1874, = <i>acerata</i>	(Act.) 60
<i>violae</i> (Fabricius), = <i>terpsicore</i>	(A.) 107
<i>violarum</i> Boisduval, 1847, polyt.	(A.) 22
<i>vitrea</i> Eltringham, 1912, = <i>penelope</i>	(Act.) 8
<i>vivasi</i> (Neild & Romero, 2008), ssp. de <i>trinacia</i>	(Act.) 137
<i>viviana</i> Staudinger, 1896	(Act.) 74
<i>vosseleri</i> Le Doux, 1928, f. de <i>conradti</i>	(Act.) 14
<i>vuilloti</i> Mabille, 1888	(Act.) 36
<i>vulcanica</i> Schultze, 1923, ab. de <i>sotikensis</i>	(Act.) 70
<i>vulgaris</i> Oberthür, 1916, f. de <i>masamba</i>	(Act.) 27
<i>vulpinopsis</i> Birket-Smith, 1960, f. <i>alciope</i>	(Act.) 49
<i>vumbui</i> Stevenson, 1934, = <i>conradti kuekenthali</i>	(Act.) 14
W	
<i>welwitschii</i> Rogenhofer, 1893	(A.) 72
<i>westwoodi</i> van Son, 1936, f. de <i>atolmis</i>	(A.) 30
<i>wickhami</i> Gabriel, 1939, f. ♀ de <i>ansorgei</i>	(Act.) 42
<i>wigginsi</i> Neave, 1904, polyt.	(Act.) 86
<i>wissmanni</i> Weymer, 1903, = <i>chilo</i>	(A.) 79
<i>xanthobrunnea</i> Hayward, 1935, f. de <i>diagnita</i>	(Act.) 117
Y	
<i>yemensis</i> Le Doux, 1931, = <i>chilo</i>	(A.) 79
Z	
<i>zaire</i> Rogenhofer, 1890, = <i>buschbecki</i>	(Act.) 25
<i>zambesina</i> Aurivillius, 1909, = <i>terpsicore</i>	(A.) 102
<i>zaratensis</i> Oberthür, 1917, = <i>calymna</i>	(Act.) 117
<i>zarayaquilionis</i> Strand, 1916, ab. de <i>gabrielae</i>	(Act.) 131
<i>zetes</i> (Linné, 1758) , polyt.	(A.) 75
<i>zidora</i> Godart, 1819, = <i>egina</i>	(A.) 8

zikani	d'Almeida, 1951	(Act.) 125
zilchi	Franz & Schröder, 1954, = <i>lapitha</i>	(Act.) 108
zitja	Boisduval, 1833	(Act.) 87
zonata	Hewitson, 1877	(A.) 68
zosteria	Godart, 1819, = <i>cepheus</i>	(A.) 29
zoumi	Pierre, 1995	(A.) 63